

---

**LIQUID EGG (PASTEURISATION) REGULATIONS, 1987**

**This version is out of date**

**Subsidiary  
1987/023**

Regulations made under sections 6, 8 and 58.

**LIQUID EGG (PASTEURISATION) REGULATIONS, 1987**

**(LN. 1987/023)**

**1.8.1987**

---

**ARRANGEMENT OF REGULATIONS.**

Regulation

1. Title and Commencement.
2. Interpretation.
3. Liquid egg to be pasteurised.
4. Penalties.
5. Application of various sections of the Act.

**SCHEDULE.**

**Title and Commencement.**

1.(1) These regulations may be cited as the Liquid Egg (Pasteurisation) Regulations, 1987.

(2) These Regulations shall come into operation on the 1st day of August, 1987.

**Interpretation.**

2.(1) In these regulations, unless the context otherwise requires—

“liquid egg” means any mixture of yolk and albumen, other than reconstituted dried egg, and includes any such mixture which is frozen, chilled or otherwise preserved;

“the Act” means the Food and Drugs Act.

And other expressions have the same meaning as in the Act.

(2) For the purposes of these regulations the supply of food otherwise than by sale, at, in or from any place where food is supplied in the course of a business shall be deemed to be a sale of that food.

**Liquid egg to be pasteurised.**

3. No person shall use as an ingredient in the preparation of food intended for sale for human consumption, or import into Gibraltar with a view to such use, liquid egg which does not satisfy the requirements of Part I of the schedule to these regulations:

Provided that this regulation shall not apply to liquid egg which is removed from the shell on the premises where the food is prepared and is either used forthwith or kept at a temperature not exceeding 50<sup>0</sup>F (10<sup>0</sup>C) and used within 24 hours.

**Penalties.**

4. If any person contravenes any of the provisions of regulation 3 of these regulations, he shall be guilty of an offence and shall be liable—

- (a) on summary conviction, to a fine not exceeding £1,000; and
- (b) on conviction on indictment, to a fine or imprisonment for a term not exceeding two years or both.

### **Application of various sections of the Act.**

5. Sections 46(2) and (3) (which relate to prosecutions), 47(1) and (2) (which relate to evidence of analysis), 49 (which relates to the power of a court to require analysis by the Government Chemist in the United Kingdom), 50 (which relates to a contravention due to some person other than the person charged), 51(2) (which relates to the conditions under which a warranty may be pleaded as a defence) and 52 (which relates to offences in relation to warranties and certificates of analysis) of the Act shall apply for the purposes of these regulations as if references therein to proceedings, or a prosecution, under or taken or brought under the Act included references to proceedings, or a prosecution, as the case may be, taken or brought for an offence under these regulations and as if the reference in the said Section 49 to subsection (3) of Section 46 included a reference to that subsection as applied by these regulations.

## SCHEDULE

*Part I Pasteurisation*

1. Liquid egg shall be pasteurised by being (a) retained at a temperature not lower than 1480F (64.4°C) for at least 2Y2 minutes, and immediately thereafter cooled to a temperature below 38<sup>0</sup>F (3.3°C), or (b) retained at such temperature and for such time as may be approved by the Director of Medical and Health Services.
2. The apparatus used shall include such devices as may be necessary to ensure a constant rate of flow of liquid egg, thermostatic control of the heating of the liquid egg and the automatic diversion of flow of any liquid egg not sufficiently heated.
3. Such thermometers shall be used as are necessary to indicate and record compliance with the requirements of paragraph 1 of this schedule. Proper records of the readings of these thermometers shall be preserved for a period of not less than 12 months.
4. A sample of the liquid egg, taken in accordance with Part II of this schedule, shall satisfy the alpha-amylase test described in Part III of this schedule.
5. Liquid egg of which such a sample satisfies the said alphaamylase test shall be regarded as satisfying the requirements of this Part of this schedule.

*Part II Sampling*

1. The sample shall consist of not less than 50 g of the liquid egg. The instruments used for sampling shall be sterile and the sample shall be placed in a sterile container which shall thereupon be immediately closed.
2. The person taking the sample shall mark the container of the sample with a number or other suitable identification mark at the time of sampling, and shall enter in a book or on a paper which shall accompany the sample the following particulars:
  - (a) the number or identification mark of the sample;
  - (b) the name and address of the person on whose premises the sample was taken.

---

**LIQUID EGG (PASTEURISATION) REGULATIONS, 1987**

This version is out of date

**Subsidiary  
1987/023**

3. The container in which the sample has been placed shall be transferred forthwith to an insulated container and transported to the testing laboratory with the least possible delay.

*Part III The Alpha-Amylase Test*

1. Examination of sample. The sample of liquid egg shall be tested as soon as possible after receipt at the testing laboratory but shall be allowed to come to room temperature immediately before the test.

A sample which shows evidence of having deteriorated shall not be tested.

2. Precautions. The following precautions shall be taken:
- (a) distilled or de-ionised water shall be used in the preparation of reagents or in the dilution of reactants;
  - (b) contamination of liquid egg or reagent with saliva shall be avoided;
  - (c) all glassware shall be clean and dry before use;
  - (d) in the event of a sample failing to pass the test, any glassware which has come into contact with the liquid egg shall immediately be sterilised.
3. Reagents. The following reagents shall be used:
- (a) *Starch solution* prepared in accordance with the following instructions: Weigh an amount of soluble starch, of analytical reagent quality and of known moisture content, equivalent to 0.70 g of dry starch. Mix this quantity of starch to a thin cream with cold water. Transfer the whole quantity of this cream to about 50 ml of boiling water, boil for one minute and cool by immersion in cold water. Add three drops of toluene and dilute with water to 100 ml in a volumetric flask.

This solution shall not be used if more than a fortnight old.

- (b) *Solution of iodine*, approximately millinormal, as specified in the British Pharmacopoeia, 1963, Appendix IIA. This solution shall be freshly prepared before use, but may be made by dilution from a stronger solution with appropriate adjustment of potassium iodide concentration.

- (c) *Solution of trichloroacetic acid:* 15 per cent. weight in volume aqueous solution of trichloroacetic acid of analytical reagent quality.

4. Method of carrying out the test. Weigh out 150 g of the sample of liquid egg into a small flask. Add 2.0 ml of the starch solution and mix thoroughly. Place this mixture for 30 minutes in a water bath maintained at 44°C. 0.5°C. Remove the mixture and allow too cool. Add 5.0 ml of the mixture to 5.0 ml of the solution of trichloroacetic acid and shake thoroughly. Add 15 ml of water and shake again. Remove the suspended matter by filtration or centrifugation. Add 10 ml of the clear filtrate after rejecting the first runnings, or of the supernatant liquor, as the case may be, to 2 ml of the solution of iodine contained in a test-tube.

5. Interpretation. The sample shall be deemed to have passed the alpha-amylase test if the filtrate or liquor in the solution of iodine immediately turns a blue-violet colour. For this purpose colours more blue-violet than 3 of a standard Lovibond Comparator Disc 4/26, or of a comparable spectrophotometric standard, shall be taken as satisfactory.