
PUBLIC HEALTH (WATER FRAMEWORK) RULES 2004

This version is out of date

**Subsidiary
2004/098**

Regulations made under s. 337 of the Public Health Act.

PUBLIC HEALTH (WATER FRAMEWORK) RULES 2004

(LN. 2004/098)

7.10.2004

Amending enactments	Relevant current provisions	Commencement date
LN. 2010/168	rr. 2(1), 10A-10B, 11A, 17A, 19 Sch.9-10	25.11.2010
2011/025	rr. 2, 7A, 9(3A), 9A, 10(1A), (5), 18, 20-22, Schs.4A, 8A-8B	17.3.2011
2011/218	r. 23, Sch.11	27.10.2011

Transposing:

Directive 2000/60/EC

Directive 2008/105/EC

Directive 2009/90/EC

ARRANGEMENT OF RULES

Rule

1. Title.
2. Interpretation.
3. Duties.
4. Designation of river basin districts.
5. Characterisation of river basin district.
6. Economic analysis of water use in river basin district.
7. Bodies of water used for the abstraction of drinking water.
- 7A. Combined approach for point and diffuse sources.
8. Register of protected areas.
9. Monitoring programmes.
- 9A. Use of information gathered from monitoring.
10. Environmental objectives and programmes of measures.
- 10A. Environmental quality standards.
- 10B. Transboundary pollution.
11. River basin management plans.
- 11A. Mixing zones.
12. River basin district management plans: public information and consultation.
13. River basin management plans: approval.
14. River basin management plans: review.
15. Supplementary plans.
16. Duty to have regard to river basin management plans and supplementary plans.
17. Publication of information.
- 17A. Inventory of emissions, discharges and losses.
18. Recovery of costs.
19. International coordination.
20. Directions.
21. Appeal.
22. Offences by corporate bodies.

Miscellaneous

23.

SCHEDULE 1

Functional enactments.

SCHEDULE 2

Map of Gibraltar River Basin District.

SCHEDULE 3

Characterisation etc.

SCHEDULE 4

Economic analysis.

SCHEDULE 4A

This Schedule reproduces annex IX to the Directive.

SCHEDULE 5

Protected areas.

SCHEDULE 6

Water status.

SCHEDULE 7

Environmental objectives.

SCHEDULE 8

River basin management plans.

SCHEDULE 8A

SCHEDULE 8B

This Schedule Reproduces Annex VIII of The Directive

SCHEDULE 9

Environmental Quality Standards for Priority Substances and Certain Other
Pollutants

SCHEDULE 10

List of Priority Substances in the Field of Water Policy

SCHEDULE 11

Minimum performance criteria for methods of analysis and rules for
demonstrating the quality of analytical results

In exercise of the powers conferred on him by section 337 of the Public Health Act and all other enabling powers and in order to transpose Council Directive 2000/60/EC of the European Parliament and of the Council of 23 October 2000 establishing a framework for Community action in the field of water policy, the Governor has made the following Rules:

Title.

1. These Rules may be cited as the Public Health (Water Framework) Rules 2004.

Interpretation.

- 2.(1) In These Rules—

“aquifer” means a subsurface layer or layers of rock or other geological strata of sufficient porosity and permeability to allow either a significant flow of groundwater or the abstraction of significant quantities of groundwater;

“available groundwater resource” means the long-term annual average rate of overall recharge of the body of groundwater less the long-term annual rate of flow required to achieve the ecological quality objectives for associated surface waters specified under Article 4 of the Directive, to avoid any significant diminution in the ecological status of such waters and to avoid any significant damage to associated terrestrial ecosystems;

“BGTW” means British Gibraltar Territorial Waters which is the area of sea, the sea bed and subsoil within the seaward limits of the territorial sea adjacent to Gibraltar under British sovereignty and which, in accordance with the United Nations Convention on the Law of the Sea 1982, currently extends to three nautical miles and to the median line in the Bay of Gibraltar;

“body of groundwater” means a distinct volume of groundwater within one or more aquifers;

“body of surface water” means a stretch of coastal water;

“body of water” means a body of groundwater or a body of surface water;

“coastal water” means surface water on the landward side of a line every point of which is at a distance of 1 nautical mile on the seaward side from the nearest point of the baseline from which the breadth

of the territorial waters is measured, and in the case of Gibraltar the territorial waters are BGTW;

“Competent Authority” means the Minister with responsibility for the environment;

“direct discharge to groundwater” means discharge of pollutants into groundwater without percolation throughout the soil or subsoil;

“the Directive” means Directive 2000/60/EC of 23rd October 2000 establishing a framework for Community action in the field of water policy as the same may be from time to time amended;

“ecological status” is an expression of the quality of the structure and functioning of aquatic ecosystems associated with surface waters, classified in accordance with Annex V to the Directive and “good ecological status” is the status of a body of surface water, so classified in accordance with that annex;

“emission controls” are controls requiring a specific emission limitation, for instance an emission limit value, or otherwise specifying limits or conditions on the effects, nature or other characteristics of an emission or operating conditions which affect emissions (for the avoidance of doubt, use of the term “emission control” in these Rules in respect of the provisions of any other European Union directive shall not be held as reinterpreting those provisions in any respect);

“emission limit values” means the mass, expressed in terms of certain specific parameters, concentration and/or level of an emission, which may not be exceeded during any one or more periods of time;

“environmental objectives” in relation to the river basin district means the objectives required to comply with Article 4 of the Directive as set out in Schedule 7 including any objectives required to comply with Article 7(2) and (3) of the Directive;

“environmental quality standard” means the concentration of a particular pollutant or group of pollutants in water, sediment or biota which should not be exceeded in order to protect human health and the environment;

“Gibraltar River Basin District” has the meaning given by rule 4;

- “good ecological potential” is the status of a heavily modified or an artificial body of water, so classified in accordance with the relevant provisions of Annex V to the Directive;
- “good groundwater chemical status” is the chemical status of a body of groundwater, which meets all the conditions set out in table 2.3.2 of Annex V to the Directive;
- “good surface water chemical status” means the chemical status required to meet the environmental objectives for surface waters established in Article 4(1)(a) of the Directive, that is the chemical status achieved by a body of surface water in which concentrations of pollutants do not exceed the environmental quality standards established in Annex IX to, and under Article 16(7) of, the Directive, and under other relevant European Community legislation setting environmental quality standards at Community level;
- “groundwater” means water which is below the surface of the ground in the saturation zone and in direct contact with the ground or subsoil;
- “groundwater status” is the general expression of the status of a body of groundwater, determined by the poorer of its quantitative status and its chemical status and “good groundwater status” means the status achieved by a groundwater body when both its quantitative status and its chemical status are at least ‘good’;
- “heavily modified water body” means a body of surface water which as a result of physical alterations by human activity is substantially changed in character, and is designated in accordance with the provisions of Annex II;
- “inland water” means all standing or flowing water on the surface of the land, and all groundwater on the landward side of the baseline from which the breadth of territorial waters is measured, and in the case of Gibraltar the territorial waters are BGTW;
- “pollutant” means any substance liable to cause pollution, in particular those listed in Annex VIII to the Directive, which is reproduced for information purposes in Schedule 8B;
- “pollution” means the direct or indirect introduction, as a result of human activity, of substances or heat into the air, water or land which may be harmful to human health or the quality of aquatic ecosystems or terrestrial ecosystems directly depending on aquatic ecosystems,

which result in damage to material property, or which impair or interfere with amenities and other legitimate uses of the environment;

“priority substances” means the substances identified in accordance with Article 16(2) of the Directive and listed in Schedule 10 to these Rules;

“programme of measures” means the programme of measures required to comply with Article 11(2) to (6) of the Directive;

“protected area” has the meaning given by rule 8(2);

“quantitative status” is an expression of the degree to which a body of groundwater is affected by direct and indirect abstractions and “good quantitative status” is the status defined in table 2.1.2 of Annex V to the Directive;

“river basin” means the area of land from which all surface run-off flows through a sequence of streams, rivers and, possibly lakes into the sea at a single river mouth, estuary or delta;

“river basin district” means the area of land and sea together with its associated bodies of water which taken together is the unit for the management of the river basin, and in these Rules unless otherwise specified any reference to a river basin district shall be taken to be a reference to the Gibraltar River Basin District;

“river basin management plan” means such a plan approved by the Competent Authority under rule 13;

“supplementary plan” has the meaning given by rule 15;

“surface water” means inland waters, except groundwater; transitional waters and coastal waters except in respect of chemical status for which it shall also include territorial waters, and in the case of Gibraltar the territorial waters are BGTW.

“surface water status” is the general expression of the status of a body of surface water, determined by the poorer of its ecological status and its chemical status, and “good surface water status” means the status achieved by a surface water body when both its ecological status and its chemical status are at least “good”;

“water services” means all services which provide, for households, public institutions or any economic activity–

- (a) abstraction, impoundment, storage, treatment and distribution of surface water or groundwater,
- (b) waste-water collection and treatment facilities which subsequently discharge into surface water;

“water use” means water services together with any other activity identified under Article 5 of, and Annex II to, the Directive, having a significant impact on the status of water.

(2) Any other expression used in both these Rules and the Directive has the same meaning for the purposes of these rules as it has for the purposes of the Directive unless the contrary is stated.

Duties.

3.(1) The Competent Authority must exercise its functions under these Rules and the enactments listed in Schedule 1 so as to secure compliance with the requirements of the Directive.

(2) The Competent Authority may appoint such persons as it deems appropriate to enable it to discharge any duty or obligation imposed by these Rules or for the achievement of the objectives of the Directive.

Designation of river basin districts.

4. The area within the River Basin District Boundary as delineated in the map in Schedule 2 is designated the Gibraltar River Basin District.

Characterisation of river basin district.

5.(1) The Competent Authority must in accordance with the provisions of Annex II of the Directive as set out in Schedule 3–

- (a) carry out an analysis of the characteristics of the river basin district; and
- (b) conduct a review of the impact of human activity on the status of surface water and groundwater in the river basin district,

by 22nd December 2004.

(2) The work required by paragraph (1) shall be updated by 22nd December 2013 and every six years after that date.

Economic analysis of water use in river basin district.

6.(1) The Competent Authority must carry out an economic analysis of water use in the river basin district by 22nd December 2004 in accordance with the requirements of Schedule 4.

(2) That analysis must be reviewed and updated by the Competent Authority by 22nd December 2013 and every six years after that date.

Bodies of water used for the abstraction of drinking water.

7.(1) The Competent Authority must identify any body of water within the river basin district which—

- (a) is used for the abstraction of water intended for human consumption and either-
 - (i) provides more than 10 cubic metres of such water per day, or
 - (ii) serves more than 50 persons, or
- (b) is intended to be used as mentioned in paragraph (a).

(2) Where a body of water provides more than 100 cubic metres per day of water intended for human consumption that body of water shall be monitored in accordance with rule 9.

Combined approach for point and diffuse sources.

7A.(1) The Competent Authority shall ensure that all discharges into surface waters referred to in subrule (2) are controlled according to the combined approach set out in this rule.

(2) By 22 December 2012 at the latest, unless otherwise specified in the legislation concerned, the Competent Authority shall ensure the establishment and/or implementation of—

- (a) emission controls based on best available techniques;
- (b) relevant emission limit values; or

PUBLIC HEALTH (WATER FRAMEWORK) RULES 2004

This version is out of date

- (c) in the case of diffuse impacts, controls including, as appropriate, best environmental practices set out in—
 - (i) Council Directive 96/61/EC of 24 September 1996 concerning integrated pollution prevention and control;
 - (ii) Council Directive 91/271/EEC of 21 May 1991 concerning urban waste-water treatment;
 - (iii) Directives adopted pursuant to Article 16 of the Directive;
 - (iv) the Directives listed in Annex IX to the Directive (and which is reproduced for information purposes in Schedule 4A);
 - (v) any other relevant Community legislation.

(3) Where a quality objective or quality standard, whether established pursuant to the Directive, in the Directives listed in Annex IX of the Directive, or pursuant to any other Community legislation, requires stricter conditions than those which would result from the application of subrule (2), more stringent emission controls shall be set accordingly.

(4) Where a permit or other authorisation has been issued under any enactment which is inconsistent with the provisions and objectives of this rule, the Competent Authority may amend the terms of that permit or authorisation through issue of directions pursuant to rule 20.

Register of protected areas.

8.(1) The Competent Authority must for the river basin district-

- (a) by 22nd December 2004 prepare; and
- (b) thereafter review and keep up to date,

a register of the protected areas lying (whether wholly or partly) within the river basin district.

(2) An area is a protected area if it falls within any of the classifications at subparagraphs 1(i) to 1(v) of Schedule 5.

Monitoring programmes.

9.(1) The Competent Authority must—

- (a) establish programmes for monitoring water status in order to establish a coherent and comprehensive overview of water status within the river basin district; and
- (b) take such other measures as may be necessary to give effect to the relevant monitoring provisions of the Directive.

(2) For surface water the monitoring programmes must cover—

- (a) the volume and level or rate of flow to the extent relevant for ecological and chemical status and ecological potential; and
- (b) the ecological and chemical status and ecological potential.

(3) For groundwater the monitoring programmes must cover monitoring of chemical and quantitative status.

(3A) For protected areas the programmes referred to in subrules (2) and (3) shall be supplemented by those specifications contained in Community legislation under which the individual protected areas have been established.

(4) The monitoring programmes must be—

- (a) established and carried out in accordance with the requirements of Schedule 6; and
- (b) made operational by 22nd December 2006.

Use of information gathered from monitoring.

9A. Where monitoring or other data indicate that the environmental objectives set for the body of water are unlikely to be achieved, the Competent Authority shall ensure that—

- (a) the causes of the possible failure are investigated;
- (b) relevant permits and authorisations are examined and if appropriate modified through the issue of directions pursuant to rule 20;
- (c) the monitoring programmes are reviewed and adjusted as appropriate; and

- (d) such additional measures as may be necessary in order to achieve those environmental objectives are established, including, as appropriate, the establishment of stricter environmental quality standards following the procedures laid down in Annex V to the Directive.

(2) Where those causes are the result of circumstances of natural cause or force majeure which are exceptional and could not reasonably have been foreseen, in particular extreme floods and prolonged droughts, the Competent Authority may determine that additional measures are not practicable, subject to all the conditions in Article 4(6) of the Directive having been met.

Environmental objectives and programmes of measures.

10.(1) For the purposes of the river basin management plan for the river basin district the Competent Authority must prepare proposals for—

- (a) the environmental objectives for the river basin district; and
- (b) a programme of measures to be applied in order to achieve those objectives.

(1A) The programme of measures referred to in subrule (1)(b)—

- (a) shall include the basic measures specified in Article 11(3) of the Directive (which is reproduced for information purposes in Part I of Schedule 8A); and
- (b) may include such supplementary measures specified in Article 11(4) of the Directive as read with Part B of Annex VI to the Directive as the Competent Authority considers to be appropriate having regard to environmental objectives, (Annex VI to the Directive is reproduced for information purposes on in Part II of Schedule 8A);
- (c) may include such further supplementary measures as the Competent Authority considers appropriate in order to provide for additional protection or improvement of the waters covered by these Rules, including in implementation of the relevant international agreements referred to in Article 1 of the Directive.

(2) In preparing proposals under paragraph (1), the Competent Authority must—

- (a) take account of the characterisation of and economic analysis of water used in the river basin district (and any review of the same) carried out under rules 5 and 6; and
- (b) take such steps as it thinks fit to—
 - (i) provide opportunities for the general public and those persons likely to be interested in or affected by its proposals to participate in discussion and the exchange of information or views in relation to the preparation of those proposals;
 - (ii) publicise its draft proposals to those persons; and
 - (iii) consult those persons in respect of those proposals.

(3) The Competent Authority may, having considered any representations received in relation to those proposals—

- (a) approve them, or any of them, in the form submitted;
- (b) approve them, or any of them, with modifications; or
- (c) reject them, or any of them;

and, in any case falling within sub-paragraph (b) or (c), must state its reasons for doing so.

(4) The Competent Authority must in accordance with Article 11 of the Directive ensure that a programme of measures is—

- (a) established by 22nd December 2009;
- (b) made operational by 22nd December 2012; and
- (c) reviewed and if necessary updated by 22nd December 2015 and every six years after that date.

(5) Any new or revised measures established under an updated programme shall be made operational within three years of their establishment.

(6) In implementing a programme of measures the Competent Authority shall—

- (a) take all appropriate steps not to increase pollution of marine waters; and
- (b) without prejudice to existing legislation, ensure that the application of the measures does not on any account lead, either directly or indirectly, to increased pollution of surface waters,

save that this subrule shall not apply where it would result in increased pollution of the environment as a whole.

Environmental quality standards.

10A.(1) The Competent Authority must apply the Environmental Quality Standards(EQS) listed in Part A of Schedule 9 to these Rules for bodies of surface water in accordance with the requirements laid down in Part B of that Schedule.

(2) The Competent Authority may opt to apply EQS for sediment or biota or both instead of those laid down in Part A of Schedule 9 in certain categories of surface water.

(3) Where the Competent Authority decides to apply the option mentioned in subrule (2), it must—

- (a) apply, for mercury and its compounds, an EQS of 20 µg/kg, and/or for hexachlorobenzene, an EQS of 10 µg/kg, and/or for hexachlorobutadiene, an EQS of 55 µg/kg, these EQS being for prey tissue (wet weight), choosing the most appropriate indicator from among fish, molluscs, crustaceans and other biota;
- (b) establish and apply EQS other than those mentioned in paragraph (a) for sediment or biota or both for specified substances and these EQS must offer at least the same level of protection as the EQS for water set out in Part A of Schedule 9;
- (c) determine, for the substances mentioned in paragraphs (a) and (b), the frequency of monitoring in biota or sediment or both and such monitoring must take place at least once every year, unless technical knowledge and expert judgment justify another interval; and

- (d) ensure that the Commission and Member States are notified of–
 - (i) the substances for which EQS have been established in accordance with paragraph (b);
 - (ii) the reasons and basis for using this approach;
 - (iii) the alternative EQS established, including the data and the methodology by which alternative EQS were derived;
 - (iv) the categories of surface water to which they would apply; and
 - (v) the frequency of monitoring planned, together with the justification for that frequency.

(4) The Competent Authority must arrange for the long-term trend analysis of concentrations of those priority substances listed in Part A of Schedule 9 that tend to accumulate in sediment or biota or in both, giving particular consideration to substances numbers 2, 5, 6, 7, 12, 15, 16, 17, 18, 20, 21, 26, 28 and 30, on the basis of monitoring of water status carried out in accordance with rule 9 and they shall take measures aimed at ensuring, subject to Schedule 7, that such concentrations do not significantly increase in sediment or relevant biota or in both.

(5) The Competent Authority must determine the frequency of monitoring in sediment or biota or in both so as to provide sufficient data for a reliable long-term trend analysis and, as a guideline, such monitoring must take place every three years, unless technical knowledge and expert judgment justify another interval.

Transboundary pollution.

10B.(1) The Competent Authority shall not be in breach of its obligations under these Rules as a result of the exceedance of an EQS if it can demonstrate that–

- (a) the exceedance was due to a source of pollution outside Gibraltar;
- (b) it was unable, as a result of such transboundary pollution, to take effective measures to comply with the relevant EQS; and

- (c) it had applied the coordination mechanisms set out in Article 3 of the Directive and, as appropriate, taken advantage of the provisions of Article 4(4), (5) and (6) of the Directive for those water bodies affected by transboundary pollution.

(2) In a situation under subrule (1), the Competent Authority must use the mechanism laid down in Article 12 of the Directive to ensure that the Commission is provided with necessary information and a summary of the measures taken in relation to any transboundary pollution in the relevant river basin management plan in accordance with the reporting requirements under Article 15(1) of the Directive”.

River basin management plans.

11.(1) The Competent Authority must prepare a river basin management plan for the Gibraltar River Basin District which includes the matters specified in Part 1 of Schedule 8.

- (2) The river basin management plan referred to in subrule (1) shall—
 - (a) be published by 22nd December 2009;
 - (b) reviewed and updated by 22nd December 2015 and every six years after that date.

Mixing zones.

11A.(1) The Competent Authority may designate mixing zones adjacent to points of discharge.

(2) Concentrations of one or more substances listed in Part A of Schedule 9 may exceed the relevant EQS within such mixing zones if they do not affect the compliance of the rest of the body of surface water with those standards.

(3) In designating the mixing zones, the Competent Authority must include in river basin management plans produced in accordance with rule 11 a description of—

- (a) the approaches and methodologies applied to define such zones; and
- (b) measures taken with a view to reducing the extent of the mixing zones in the future, such as those measures taken pursuant to Article 11(3)(k) of the Directive or by reviewing

relevant permits or prior regulations as referred to in Article 11(3)(g) of the Directive.

(4) In designating mixing zones the Competent Authority must ensure that the extent of any such zone is–

- (a) restricted to the proximity of the point of discharge; and
- (b) proportionate, having regard to the concentrations of pollutants at the point of discharge and to the conditions on emissions of pollutants contained in the prior regulations, in accordance with the application of best available techniques and Article 10 of the Directive, in particular after those prior regulations are reviewed.

River basin district management plans: public information and consultation.

12.(1) The Competent Authority must in respect of the production of a river basin management plan–

- (a) not less than three years before the beginning of the plan period, publish a statement of–
 - (i) the steps and consultation measures it is to take; and
 - (ii) the dates by which those steps and measures are to be taken;
- (b) not less than two years before the beginning of the plan period, publish a summary of the significant water management issues which it considers arise in relation to the river basin district; and
- (c) not less than one year before the beginning of the plan period, publish a draft plan.

(2) The Competent Authority must publish any matter required by subrule (1) to be published in a way calculated to bring it to the attention of persons likely to be affected by it and must–

- (a) make copies of the statement, summary or draft plan accessible to the public;
- (b) publish a notice–

- (i) stating the fact of publication;
- (ii) specifying the arrangements made for making copies of the statement, summary or draft plan available for public inspection; and
- (iii) stating that any person may within the period of six months beginning with the date of publication, or such longer period as the Competent Authority may direct, make representations to the Competent Authority in relation to the statement, summary or draft plan;

(3) The Competent Authority must take into account any representations relating to a statement, summary or draft plan published in accordance with subrule (1) which is received within such period as the Competent Authority has notified.

River basin management plans: approval.

13.(1) The Competent Authority may, having considered any representations received in relation to a river basin district management plan—

- (a) approve it, in whole or in part and with or without modifications; or
- (b) reject it,

and must state its reasons for doing so.

(2) Where the Competent Authority approves a plan it must publish the approved plan in a way calculated to bring it to the attention of persons likely to be affected by it and, in particular, must—

- (a) make copies of the approved plan accessible to the public;
- (b) publish a notice—
 - (i) stating that the plan has been approved; and
 - (ii) specifying the arrangements made for making copies of the plan accessible to the public.

River basin management plans: review.

14.(1) The Competent Authority must review and update a river basin management plan by no later than six years from the date on which it was approved under rule 13.

(2) The revised plan must include the matters specified in Part 2 of Schedule 8, in addition to the matters required to be included by rule 11.

(3) Rules 11(1), 12 and 13 apply in relation to the preparation, submission and approval of a revised river basin management plan.

Supplementary plans.

15.(1) The Competent Authority may prepare such supplementary plans in relation to the river basin district as it thinks fit.

(2) A plan prepared under paragraph (1) may in particular relate to—

- (a) a particular description of body of water;
- (b) a particular catchment or geographical area;
- (c) a particular matter relating to, or aspect of, the water environment;
- (d) a particular description of user of water resources; or
- (e) any combination of the above.

(3) The Competent Authority must consult such persons as it thinks fit about a proposed supplementary plan and must take into account any views expressed by those consulted.

Duty to have regard to river basin management plans and supplementary plans.

16. The Competent Authority, a person appointed under rule 3(2) and every other public body and officeholder must, in exercising any functions affecting the river basin district, have regard to—

- (a) the river basin management plan as approved under rule 13;
- (b) so far as relevant, any plan prepared under rule 15 for the purpose of supplementing the river basin management plan.

Publication of information.

- 17.(1) The Competent Authority must make accessible to the public–
- (a) the results of the work required by rule 5;
 - (b) the results of the analysis conducted under rule 6;
 - (c) maps showing areas identified under rule 7;
 - (d) the registers prepared under rule 8;
 - (e) the results of the programmes established under rule 9;
 - (f) the environmental objectives and programmes of measures proposed or approved under rule 10; and
 - (g) any supplementary plan prepared under rule 15.
- (2) Where the Competent Authority receives a request for access to documents and information used for the development of the draft river basin management plan it shall make those documents in its possession accessible.

Inventory of emissions, discharges and losses.

17A.(1) The Competent Authority must, on the basis of the information collected in accordance with rules 5 to 7, Regulation (EC) No 166/2006 and other available data, establish an inventory, including maps, if available, of emissions, discharges and losses of all priority substances and pollutants listed in Part A of Schedule 9 for the Gibraltar River Basin District or part of a river basin district lying within Gibraltar including their concentrations in sediment and biota, as appropriate.

- (2) The Competent Authority must–
- (a) ensure that the inventories established under subrule (1) are communicated to the Commission;
 - (b) update those inventories as part of reviews under rule 5(2); and
 - (c) publish those updated inventories in its updated river basin plans under rule 11(2).
- (3) The reference period for the establishment of –

PUBLIC HEALTH (WATER FRAMEWORK) RULES 2004

This version is out of date

**Subsidiary
2004/098**

- (a) pollutant values to be entered in the inventories referred to in subrule (1) shall be one year between 2008 and 2010; and
- (b) values in the updated inventories under subrule (2) shall be the year before the analysis is to be completed.

Recovery of costs.

18.(1) The Competent Authority must ensure that it takes account of the principle of recovery of the costs of water services (including environmental and resource costs) having regard to the economic analysis conducted in accordance with Schedule 4 and in accordance, in particular, with the polluter pays principle such that—

- (a) water-pricing policies provide adequate incentives for users to use water resources efficiently, and thereby contribute to the environmental objectives of the Directive; and
- (b) it results in an adequate contribution of the different water uses, disaggregated into at least industry, households and agriculture, to the recovery of the costs of water services.

(2) In applying subrule (1) the Competent Authority may have regard to the social, environmental and economic effects of the recovery as well as the geographic and climatic conditions of the region.

(3) River basin management plans made under these Rules shall report on the planned steps towards implementing subrule (1) which will contribute to achieving the environmental objectives of the Directive and on the contribution made by the various water uses to the recovery of the costs of water services.

International coordination.

19. For the purposes of Article 13(2) of the Directive the Competent Authority—

- (a) shall be responsible for receiving and transmitting requests relating to any matter concerning these Rules; and
- (b) is designated the contact point for any international information or coordination issues.

Directions.

- 20.(1) The Competent Authority may issue directions where—
- (a) these Rules require it to discharge a particular duty;
 - (b) where it is appropriate to secure compliance with these Rules or the Directive.
- (2) A direction must be in writing, addressed to the person who is required to comply with it and state the time limits for compliance.
- (3) A person who without reasonable excuse fails to comply with a direction or any part of it commits an offence and is liable on summary conviction to a fine up to level 3 on the standard scale.

Appeal.

- 21.(1) A person to whom a direction is addressed who is not satisfied with the direction or any part of it may appeal against the direction to the Magistrates' Court within 7 days of the service of the direction upon him.
- (2) Directions shall be stayed pending the determination of the appeal.
- (3) In considering an appeal under subrule (1) the court will have regard to all the circumstances of the case including the reasons why the direction was required to be issued in those terms, and the court may uphold, quash or vary the direction as it deems fit.

Offences by corporate bodies.

- 22.(1) Where an offence under rule 20(3) has been committed by a body corporate and is proved to have been committed with the consent or connivance of, or to have been attributable to any neglect on the part of, a director, manager, secretary or other similar officer of the body corporate, or any other person purporting to act in any such capacity, he, as well as the body corporate, shall be guilty of that offence and shall be liable to be proceeded against and punished accordingly.
- (2) Where the affairs of a body corporate are managed by its members, subrule (1) shall apply in relation to the acts and defaults of a member in connection with his functions of management as if he were a director of a body corporate.
- (3) A fine imposed on an unincorporated association on its conviction for an offence shall be paid out of the funds of the association.

(4) Where an offence under this Act committed by a partnership is proved to have been committed with the consent or connivance of, or to have been attributable to any neglect on the part of a partner, he as well as the partnership is guilty of the offence and liable to be proceeded against and punished accordingly.

Miscellaneous

23. Where these Rules require the monitoring of water status, sediment and biota or the analysis of such results, that monitoring or analysis shall be undertaken in conformity with the rules and criteria set out in Schedule 11.

1950-07

Public Health

PUBLIC HEALTH (WATER FRAMEWORK) RULES 2004

**Subsidiary
2004/098**

This version is out of date


(rule 3)

SCHEDULE 1


Functional enactments

1. Part III of the Public Health Act
2. Pollution Prevention and Control Act 2001
3. Landfill Act 2002
4. Public Health (Urban Waste Water Collection and Treatment) Regulations 1999
5. Public Health (Quality of Bathing Water) Rules 1992
6. Public Health (Pollution of the Aquatic Environment) Rules 1994
7. Public Health (Potable Water) Rules 1994
8. Public Health (Groundwater) Rules 1995

SCHEDULE 2



© Government of Gibraltar



(rule 5(1))

SCHEDULE 3

Characterisation etc.

This Schedule reproduces Annex II of the Directive.

1 SURFACE WATERS.

1.1. Characterisation of surface water body types.

Member States shall identify the location and boundaries of bodies of surface water and shall carry out an initial characterisation of all such bodies in accordance with the following methodology. Member States may group surface water bodies together for the purposes of this initial characterisation.

- (i) The surface water bodies within the river basin district shall be identified as falling within either one of the following surface water categories - rivers, lakes, transitional waters or coastal waters - or as artificial surface water bodies or heavily modified surface water bodies.
- (ii) For each surface water category, the relevant surface water bodies within the river basin district shall be differentiated according to type. These types are those defined using either 'system A' or 'system B' identified in section 1.2.

- (iii) If system A is used, the surface water bodies within the river basin district shall first be differentiated by the relevant ecoregions in accordance with the geographical areas identified in section 1.2 and shown on the relevant map in Annex XI. The water bodies within each ecoregion shall then be differentiated by surface water body types according to the descriptors set out in the tables for system A.
- (iv) If system B is used, Member States must achieve at least the same degree of differentiation as would be achieved using system A. Accordingly, the surface water bodies within the river basin district shall be differentiated into types using the values for the obligatory descriptors and such optional descriptors, or combinations of descriptors, as are required to ensure that type specific biological reference conditions can be reliably derived.
- (v) For artificial and heavily modified surface water bodies the differentiation shall be undertaken in accordance with the descriptors for whichever of the surface water categories most closely resembles the heavily modified or artificial water body concerned.
- (vi) Member States shall submit to the Commission a map or maps (in a GIS format) of the geographical location of the types consistent with the degree of differentiation required under system A.

1.2. Ecoregions and surface water body types

1.2.1. Rivers

Coastal Waters.

System A.

Fixed typology	Descriptors
Ecoregion	Ecoregions shown on map A in Annex XI
Type	Altitude typology high: >800 m

	<p>mid-altitude: 200 to 800 m lowland: <200 m</p> <p>Size typology based on catchment area</p> <p>small: 10 to 100 km² medium: >100 to 1 000 km² large: >1 000 to 10 000 km² very large: >10 000 km²</p> <p>Geology</p> <p>calcareous siliceous organic</p>
--	---

System B.

Alternative characterisation	Physical and chemical factors that determine the characteristics of the river or part of the river and hence the biological population structure and composition
Obligatory factors	Altitude latitude longitude geology size
Optional factors	distance from river source energy of flow (function of flow and slope) mean water width mean water depth mean water slope form and shape of main river bed river discharge (flow) category valley shape transport of solids acid neutralising capacity mean substratum composition chloride air temperature range

	mean air temperature precipitation
--	---------------------------------------

1.2.2. Lakes.**System A.**

Fixed typology	Descriptors
Ecoregion	Ecoregions shown on map A in Annex XI
Type	<p>Altitude typology</p> <p>high: >800 m mid-altitude: 200 to 800 m lowland: <200 m</p> <p>Size typology based on catchment area</p> <p>small: 10 to 100 km₂ medium: >100 to 1 000 km₂ large: >1 000 to 10 000 km₂ very large: >10 000 km₂</p> <p>Geology</p> <p>calcareous siliceous organic</p>

System B.

Alternative characterisation	Physical and chemical factors that determine the characteristics of the lake and hence the biological population structure and composition
Obligatory factors	altitude

	<p>latitude longitude depth geology size</p>
Optional factors	<p>mean water depth lake shape residence time mean air temperature air temperature range mixing characteristics (e.g. monomictic, dimictic, polymictic) acid neutralising capacity background nutrient status mean substratum composition water level fluctuation</p>

1.2.3. Transitional Waters.

System A.

Fixed typology	Descriptors
Ecoregion	<p>The following as identified on map B in Annex XI:</p> <p>Baltic Sea Barents Sea Norwegian Sea North Sea North Atlantic Ocean Mediterranean Sea</p>
Type	<p>Based on mean annual salinity</p> <p><0,5%: freshwater 0,5 to <5%: oligohaline 5 to <18%: mesohaline 18 to <30%: polyhaline 30 to <40%: euhaline</p>

	<p>Based on mean tidal range</p> <p><2 m: microtidal 2 to 4 m: mesotidal >4 m: macrotidal</p>
--	---

System B.

Alternative characterisation	Physical and chemical factors that determine the characteristics of the transitional water and hence the biological population structure and composition
Obligatory factors	latitude longitude tidal range salinity
Optional factors	depth current velocity wave exposure residence time mean water temperature mixing characteristics turbidity mean substratum composition shape water temperature range

1.2.4. Coastal Waters.**System A.**

Fixed typology	Descriptors
Ecoregion	The following as identified on map B in Annex XI:

	<p>Baltic Sea Barents Sea Norwegian Sea North Sea North Atlantic Ocean Mediterranean Sea</p>
Type	<p>Type Based on mean annual salinity</p> <p><0,5%: freshwater 0,5 to <5%: oligohaline 5 to <18%: mesohaline 18 to <30%: polyhaline 30 to <40%: euhaline</p> <p>Based on mean depth</p> <p>shallow waters: <30 m intermediate: (30 to 200 m) deep: >200 m</p>
System B.	
Alternative characterisation	Physical and chemical factors that determine the characteristics of the coastal water and hence the biological community structure and composition
Obligatory factors	<p>latitude longitude tidal range salinity</p>
Optional factors	<p>current velocity wave exposure mean water temperature mixing characteristics turbidity retention time (of enclosed bays)</p>

	mean substratum composition water temperature range
--	--

1.3. Establishment of type-specific reference conditions for surface water body types.

- (ii) In applying the procedures set out in this section to heavily modified or artificial surface water bodies references to high ecological status shall be construed as references to maximum ecological potential as defined in table 1.2.5 of Annex V. The values for maximum ecological potential for a water body shall be reviewed every six years.
- (iii) Type-specific conditions for the purposes of points (i) and (ii) and type-specific biological reference conditions may be either spatially based or based on modelling, or may be derived using a combination of these methods. Where it is not possible to use these methods, Member States may use expert judgement to establish such conditions. In defining high ecological status in respect of concentrations of specific synthetic pollutants, the detection limits are those which can be achieved in accordance with the available techniques at the time when the type-specific conditions are to be established.
- (iv) For spatially based type-specific biological reference conditions, Member States shall develop a reference network for each surface water body type. The network shall contain a sufficient number of sites of high status to provide a sufficient level of confidence about the values for the reference conditions, given the variability in the values of the quality elements corresponding to high ecological status for that surface water body type and the modelling techniques which are to be applied under paragraph (v).
- (v) Type-specific biological reference conditions based on modelling may be derived using either predictive models or hindcasting methods. The methods shall use historical, palaeological and other available data and shall provide a sufficient level of confidence about the values for the reference conditions to ensure that the conditions so derived are consistent and valid for each surface water body type.
- (vi) Where it is not possible to establish reliable type-specific reference conditions for a quality element in a surface water

body type due to high degrees of natural variability in that element, not just as a result of seasonal variations, then that element may be excluded from the assessment of ecological status for that surface water type. In such circumstances Member States shall state the reasons for this exclusion in the river basin management plan.

1.4. Identification of Pressures.

Member States shall collect and maintain information on the type and magnitude of the significant anthropogenic pressures to which the surface water bodies in each river basin district are liable to be subject, in particular the following.

Estimation and identification of significant point source pollution, in particular by substances listed in Annex VIII, from urban, industrial, agricultural and other installations and activities, based, *inter alia*, on information gathered under:

- (i) Articles 15 and 17 of Directive 91/271/EEC;
- (ii) Articles 9 and 15 of Directive 96/61/EC;

and for the purposes of the initial river basin management plan:

- (iii) Article 11 of Directive 76/464/EEC; and
- (iv) Directives 75/440/EC, 76/160/EEC ⁽²⁾, 78/659/EEC and 79/923/EEC.

Estimation and identification of significant diffuse source pollution, in particular by substances listed in Annex VIII, from urban, industrial, agricultural and other installations and activities; based, *inter alia*, on information gathered under:

- (i) Articles 3, 5 and 6 of Directive 91/676/EEC;
- (ii) Articles 7 and 17 of Directive 91/414/EEC;
- (iii) Directive 98/8/EC;

and for the purposes of the first river basin management plan:

- (iv) Directives 75/440/EEC, 76/160/EEC, 76/464/EEC, 78/659/EEC and 79/923/EEC.

Estimation and identification of significant water abstraction for urban, industrial, agricultural and other uses, including seasonal variations and total annual demand, and of loss of water in distribution systems. Estimation and identification of the impact of significant water flow regulation, including water transfer and diversion, on overall flow characteristics and water balances.

Identification of significant morphological alterations to water bodies.

Estimation and identification of other significant anthropogenic impacts on the status of surface waters.

Estimation of land use patterns, including identification of the main urban, industrial and agricultural areas and, where relevant, fisheries and forests.

1.5. Assessment of Impact.

Member States shall carry out an assessment of the susceptibility of the surface water status of bodies to the pressures identified above.

Member States shall use the information collected above, and any other relevant information including existing environmental monitoring data, to carry out an assessment of the likelihood that surface waters bodies within the river basin district will fail to meet the environmental quality objectives set for the bodies under Article 4. Member States may utilise modelling techniques to assist in such an assessment.

For those bodies identified as being at risk of failing the environmental quality objectives, further characterisation shall, where relevant, be carried out to optimise the design of both the monitoring programmes required under Article 8, and the programmes of measures required under Article 11.

2. GROUNDWATERS.

2.1. Initial characterisation.

Member States shall carry out an initial characterisation of all groundwater bodies to assess their uses and the degree to which they are at risk of failing to meet the objectives for each groundwater body under Article 4. Member States may group groundwater bodies together for the purposes of this initial characterisation. This analysis may employ existing hydrological, geological, pedological, land use, discharge, abstraction and other data but shall identify:

- the location and boundaries of the groundwater body or bodies,

- the pressures to which the groundwater body or bodies are liable to be subject including:
 - diffuse sources of pollution
 - point sources of pollution
 - abstraction
 - artificial recharge,
- the general character of the overlying strata in the catchment area from which the groundwater body receives its recharge,
- those groundwater bodies for which there are directly dependent surface water ecosystems or terrestrial ecosystems.

2.2. Further characterisation.

Following this initial characterisation, Member States shall carry out further characterisation of those groundwater bodies or groups of bodies which have been identified as being at risk in order to establish a more precise assessment of the significance of such risk and identification of any measures to be required under Article 11. Accordingly, this characterisation shall include relevant information on the impact of human activity and, where relevant, information on:

- geological characteristics of the groundwater body including the extent and type of geological units,
- hydrogeological characteristics of the groundwater body including hydraulic conductivity, porosity and confinement,
- characteristics of the superficial deposits and soils in the catchment from which the groundwater body receives its recharge, including the thickness, porosity, hydraulic conductivity, and absorptive properties of the deposits and soils,
- stratification characteristics of the groundwater within the groundwater body,
- an inventory of associated surface systems, including terrestrial ecosystems and bodies of surface water, with which the groundwater body is dynamically linked,
- estimates of the directions and rates of exchange of water between the groundwater body and associated surface systems,

- sufficient data to calculate the long term annual average rate of overall recharge,
- characterisation of the chemical composition of the groundwater, including specification of the contributions from human activity. Member States may use typologies for groundwater characterisation when establishing natural background levels for these bodies of groundwater.

2.3. Review of the impact of human activity on groundwaters.

For those bodies of groundwater which cross the boundary between two or more Member States or are identified following the initial characterisation undertaken in accordance with paragraph 2.1 as being at risk of failing to meet the objectives set for each body under Article 4, the following information shall, where relevant, be collected and maintained for each groundwater body:

- (a) the location of points in the groundwater body used for the abstraction of water with the exception of:
 - points for the abstraction of water providing less than an average of 10 m³ per day, or,
 - points for the abstraction of water intended for human consumption providing less than an average of 10 m³ per day or serving less than 50 persons,
- (b) the annual average rates of abstraction from such points,
- (c) the chemical composition of water abstracted from the groundwater body,
- (d) the location of points in the groundwater body into which water is directly discharged,
- (e) the rates of discharge at such points,
- (f) the chemical composition of discharges to the groundwater body, and
- (g) and use in the catchment or catchments from which the groundwater body receives its recharge, including pollutant inputs and anthropogenic alterations to the recharge

characteristics such as rainwater and run-off diversion through land sealing, artificial recharge, damming or drainage.

2.4. Review of the impact of changes in groundwater levels.

Member States shall also identify those bodies of groundwater for which lower objectives are to be specified under Article 4 including as a result of consideration of the effects of the status of the body on:

- (i) surface water and associated terrestrial ecosystems
- (ii) water regulation, flood protection and land drainage
- (iii) human development.

2.5. Review of the impact of pollution on groundwater quality.

Member States shall identify those bodies of groundwater for which lower objectives are to be specified under Article 4(5) where, as a result of the impact of human activity, as determined in accordance with Article 5(1), the body of groundwater is so polluted that achieving good groundwater chemical status is infeasible or disproportionately expensive.

SCHEDULE 4

(rules 6(1), 18(b))

Economic analysis

The economic analysis shall contain enough information in sufficient detail (taking account of the costs associated with collection of the relevant data) in order to:

- (a) make the relevant calculations necessary for taking into account under rule 19, the principle of recovery of the costs of water services, taking account of long term forecasts of supply and demand for water in the river basin district and, where necessary:
 - estimates of the volume, prices and costs associated with water services, and
 - estimates of relevant investment including forecasts of such investments;
- (b) make judgements about the most cost-effective combination of measures in respect of water uses to be included in the programme of measures under rule 10 based on estimates of the potential costs of such measures.

SCHEDULE 4A

Rule 7A

**THIS SCHEDULE REPRODUCES ANNEX IX TO THE
DIRECTIVE.****EMISSION LIMIT VALUES AND ENVIRONMENTAL QUALITY
STANDARDS**

The 'limit values' and 'quality objectives' established under the re Directives of Directive 76/464/EEC shall be considered emission limit values and environmental quality standards, respectively, for the purposes of this Directive. They are established in the following Directives:

- (i) The Mercury Discharges Directive (82/176/EEC);
- (ii) The Cadmium Discharges Directive (83/513/EEC);
- (iii) The Mercury Directive (84/156/EEC);
- (iv) The Hexachlorocyclohexane Discharges Directive (84/491/EEC); and
- (v) The Dangerous Substance Discharges Directive (86/280/EEC).

SCHEDULE 5

(rule 8(2))

Protected areas

1. The register of protected areas required under rule 8 shall include the following types of protected areas:

- (i) areas designated for the abstraction of water intended for human consumption under rule 7;
- (ii) areas designated for the protection of economically significant aquatic species;
- (iii) bodies of water designated as recreational waters, including areas designated as bathing waters under Directive 76/160/EEC;
- (iv) nutrient-sensitive areas, including areas designated as vulnerable zones under Directive 91/676/EEC and areas designated as sensitive areas under Directive 91/271/EEC; and
- (v) areas designated for the protection of habitats or species where the maintenance or improvement of the status of water is an important factor in their protection, including relevant Natura 2000 sites designated under Directive 92/43/EEC and Directive 79/409/EEC.

2. The summary of the register required as part of the river basin management plan shall include maps indicating the location of each protected area and a description of the Community or national legislation under which they have been designated.

(rule 9(4)(a))

SCHEDULE 6

Water status

This Schedule reproduces Annex V of the Directive.

1. SURFACE WATER STATUS

1.1. Quality elements for the classification of ecological status.

1.1.1. Rivers

1.1.2. Lakes

1.1.3. Transitional waters

1.1.4. Coastal waters

1.1.5. Artificial and heavily modified surface waterbodies

1.2. Normative definitions of ecological status classifications.

1.2.1. Definitions for high, good and moderate ecological status in rivers

1.2.2. Definitions for high, good and moderate ecological status in lakes

1.2.3. Definitions for high, good and moderate ecological status in transitional waters

1.2.4. Definitions for high, good and moderate ecological status in coastal waters

1.2.5. Definitions for maximum, good and moderate ecological potential for heavily modified or artificial waterbodies

1.2.6. Procedure for the setting of chemical quality standards by Member States

1.3. Monitoring of ecological status and chemical status for surface waters.

1.3.1. Design of surveillance monitoring

1.3.2. Design of operational monitoring

1.3.3. Design of investigative monitoring

1.3.4. Frequency of monitoring

1.3.5. Additional monitoring requirements for protected areas

1.3.6. Standards for monitoring of quality elements

1.4. Classification and presentation of ecological status.

1.4.1. Comparability of biological monitoring results

1.4.2. Presentation of monitoring results and classification of ecological status and ecological potential

1.4.3. Presentation of monitoring results and classification of chemical status

2. GROUNDWATER.

2.1. Groundwater quantitative status.

2.1.1. Parameters for the classification of quantitative status

2.1.2. Definition of quantitative status

2.2. Monitoring of groundwater quantitative status.

2.2.1. Groundwater level monitoring network

2.2.2. Density of monitoring sites

2.2.3. Monitoring frequency

2.2.4. Interpretation and presentation of groundwater quantitative status

2.3. Groundwater chemical status.

2.3.1. Parameters for the determination of groundwater chemical status

2.3.2. Definition of good groundwater chemical status

2.4. Monitoring of groundwater chemical status.

- 2.4.1. Groundwater monitoring network
- 2.4.2. Surveillance monitoring
- 2.4.3. Operational monitoring
- 2.4.4. Identification of trends in pollutants
- 2.4.5. Interpretation and presentation of groundwater chemical status

2.5. Presentation of groundwater status

1. SURFACE WATER STATUS.

1.1. Quality elements for the classification of ecological status.

1.1.1. Rivers

Biological elements

- Composition and abundance of aquatic flora
- Composition and abundance of benthic invertebrate fauna
- Composition, abundance and age structure of fish fauna

Hydromorphological elements supporting the biological elements

- Hydrological regime
 - quantity and dynamics of water flow
 - connection to groundwater bodies
- River continuity
- Morphological conditions
 - river depth and width variation
 - structure and substrate of the river bed
 - structure of the riparian zone

Chemical and physico-chemical elements supporting the biological elements

General

- Thermal conditions
- Oxygenation conditions
- Salinity
- Acidification status
- Nutrient conditions

Specific pollutants

Pollution by all priority substances identified as being discharged into the body of water

Pollution by other substances identified as being discharged in significant quantities into the body of water

1.1.2. Lakes.

Biological elements

Composition, abundance and biomass of phytoplankton
Composition and abundance of other aquatic flora
Composition and abundance of benthic invertebrate fauna
Composition, abundance and age structure of fish fauna

Hydromorphological elements supporting the biological elements

Hydrological regime
quantity and dynamics of water flow
residence time
connection to the groundwater body
Morphological conditions
lake depth variation
quantity, structure and substrate of the lake bed
structure of the lake shore

Chemical and physico-chemical elements supporting the biological elements

General

Transparency
Thermal conditions
Oxygenation conditions
Salinity
Acidification status
Nutrient conditions

Specific pollutants

Pollution by all priority substances identified as being discharged into the body of water

Pollution by other substances identified as being discharged in significant quantities into the body of water

1.1.3. Transitional waters.

Biological elements

Composition, abundance and biomass of phytoplankton
Composition and abundance of other aquatic flora
Composition and abundance of benthic invertebrate fauna
Composition and abundance of fish fauna

Hydro-morphological elements supporting the biological elements

Morphological conditions
depth variation
quantity, structure and substrate of the bed
structure of the intertidal zone

Tidal regime
freshwater flow
wave exposure

Chemical and physico-chemical elements supporting the biological elements

General
Transparency
Thermal conditions
Oxygenation conditions
Salinity
Nutrient conditions

Specific pollutants

Pollution by all priority substances identified as being discharged into the body of water
Pollution by other substances identified as being discharged in significant quantities into the body of water

1.1.4. Coastal waters

Biological elements

Composition, abundance and biomass of phytoplankton
Composition and abundance of other aquatic flora
Composition and abundance of benthic invertebrate fauna

Hydromorphological elements supporting the biological elements

Morphological conditions
depth variation

structure and substrate of the coastal bed
structure of the intertidal zone

Tidal regime
direction of dominant currents
wave exposure

Chemical and physico-chemical elements supporting the biological elements

General
Transparency
Thermal conditions
Oxygenation conditions
Salinity
Nutrient conditions

Specific pollutants

Pollution by all priority substances identified as being discharged into the body of water
Pollution by other substances identified as being discharged in significant quantities into the body of water

1.1.5. Artificial and heavily modified surface waterbodies

The quality elements applicable to artificial and heavily modified surface water bodies shall be those applicable to whichever of the four natural surface water categories above most closely resembles the heavily modified or artificial water body concerned.

1.2 Normative definitions of ecological status classification.

Table 1.2. General definition for rivers, lakes, transitional waters and coastal waters. The following text provides a general definition of ecological quality. For the purposes of classification the values for the quality elements of ecological status for each surface water category are those given in tables 1.2.1 to 1.2.4 below.

Waters achieving a status below moderate shall be classified as poor or bad.

Waters showing evidence of major alterations to the values of the biological quality elements for the surface water body type and in which the relevant biological communities deviate substantially from those normally associated with the surface water body type under undisturbed conditions, shall be

Element	High status	Good status	Moderate status
General	<p>There are no, or only very minor, anthropogenic alterations to the values of the physico-chemical and hydromorphological quality elements for the surface water body type from those normally associated with that type under undisturbed conditions.</p> <p>The values of the biological quality elements for the surface water body reflect those normally associated with that type under undisturbed conditions, and show no, or only very minor, evidence of distortion.</p> <p>These are the type-specific conditions and communities.</p>	<p>The values of the biological quality elements for the surface water body type show low levels of distortion resulting from human activity, but deviate only slightly from those normally associated with the surface water body type under undisturbed conditions.</p>	<p>The values of the biological quality elements for the surface water body type deviate moderately from those normally associated with the surface water body type under undisturbed conditions. The values show moderate signs of distortion resulting from human activity and are significantly more disturbed than under conditions of good status.</p>

classified as poor.

Waters showing evidence of severe alterations to the values of the biological quality elements for the surface water body type and in which large portions of the relevant biological communities normally associated with the surface water body type under undisturbed conditions are absent, shall be classified as bad.

1.2.1. Definitions for high, good and moderate ecological status in rivers.*Biological quality elements*

Element	High status	Good status	Moderate status
Phytoplankton	<p>The taxonomic composition of phytoplankton corresponds totally or nearly totally to undisturbed conditions.</p> <p>The average phytoplankton abundance is wholly consistent with the type-specific physico-chemical conditions and is not such as to significantly alter the type-specific transparency conditions.</p> <p>Planktonic blooms occur at a frequency and intensity which is consistent with the type-specific physicochemical conditions.</p>	<p>There are slight changes in the composition and abundance of planktonic taxa compared to the type-specific communities. Such changes do not indicate any accelerated growth of algae resulting in undesirable disturbances to the balance of organisms present in the water body or to the physico-chemical quality of the water or sediment.</p> <p>A slight increase in the frequency and intensity of the type-specific planktonic blooms may occur.</p>	<p>The composition of planktonic taxa differs moderately from the type-specific communities.</p> <p>Abundance is moderately disturbed and may be such as to produce a significant undesirable disturbance in the values of other biological and physico-chemical quality elements.</p> <p>A moderate increase in the frequency and intensity of planktonic blooms may occur. Persistent blooms may occur during summer months.</p>
Macrophytes	The taxonomic	There are slight	The composition of

<p>and phytobenthos</p>	<p>composition corresponds totally or nearly totally to undisturbed conditions.</p> <p>There are no detectable changes in the average macrophytic and the average phytobenthic abundance.</p>	<p>changes in the composition and abundance of macrophytic and phytobenthic taxa compared to the type-specific communities. Such changes do not indicate any accelerated growth of phytobenthos or higher forms of plant life resulting in undesirable disturbances to the balance of organisms present in the water body or to the physico-chemical quality of the water or sediment.</p> <p>The phytobenthic community is not adversely affected by bacterial tufts and coats present due to anthropogenic activity.</p>	<p>macrophytic and phytobenthic taxa differs moderately from the type-specific community and is significantly more distorted than at good status.</p> <p>Moderate changes in the average macrophytic and the average phytobenthic abundance are evident.</p> <p>The phytobenthic community may be interfered with and, in some areas, displaced by bacterial tufts and coats present as a result of anthropogenic activities.</p>
<p>Benthic vertebrate fauna</p>	<p>The taxonomic composition and abundance correspond totally or nearly totally to undisturbed conditions.</p> <p>The ratio of disturbance sensitive taxa to</p>	<p>There are slight changes in the composition and abundance of invertebrate taxa from the type-specific communities.</p> <p>The ratio of disturbance-sensitive taxa to</p>	<p>The composition and abundance of invertebrate taxa differ moderately from the type-specific communities.</p> <p>Major taxonomic groups of the type-specific community are absent.</p>

	<p>insensitive taxa shows no signs of alteration from undisturbed levels.</p> <p>The level of diversity of invertebrate taxa shows no sign of alteration from undisturbed levels.</p>	<p>insensitive taxa shows slight alteration from type-specific levels.</p> <p>The level of diversity of invertebrate taxa shows slight signs of alteration from type-specific levels.</p>	<p>The ratio of disturbance-sensitive taxa to insensitive taxa, and the level of diversity, are substantially lower than the type-specific level and significantly lower than for good status.</p>
Fish fauna	<p>Species composition and abundance correspond totally or nearly totally to undisturbed conditions.</p> <p>All the type-specific disturbance-sensitive species are present.</p> <p>The age structures of the fish communities show little sign of anthropogenic disturbance and are not indicative of a failure in the reproduction or development of</p>	<p>There are slight changes in species composition and abundance from the type-specific communities attributable to anthropogenic impacts on physicochemical and hydromorphological quality elements.</p> <p>The age structures of the fish communities show signs of disturbance attributable to anthropogenic impacts on physicochemical or hydromorphological quality elements, and, in a few instances, are indicative of a failure in the</p>	<p>The composition and abundance of fish species differ moderately from the type-specific communities attributable to anthropogenic impacts on physicochemical or hydromorphological quality elements.</p> <p>The age structure of the fish communities shows major signs of anthropogenic disturbance, to the extent that a moderate proportion of the type specific species are absent or of very low abundance.</p>

	any particular species.	reproduction or development of a particular species, to the extent that some age classes may be missing.	
--	-------------------------	--	--

Hydromorphological quality elements

Element	High status	Good status	Moderate status
Hydrological regime	The quantity and dynamics of flow, and the resultant connection to groundwaters, reflect totally, or nearly totally, undisturbed conditions.	Conditions consistent with the achievement of the values specified above for the biological quality elements.	Conditions consistent with the achievement of the values specified above for the biological quality elements.
River continuity	The continuity of the river is not disturbed by anthropogenic activities and allows undisturbed migration of aquatic organisms and sediment transport.	Conditions consistent with the achievement of the values specified above for the biological quality elements.	Conditions consistent with the achievement of the values specified above for the biological quality elements.
Morphological conditions	Channel patterns, width and depth variations, flow velocities, substrate conditions and both the structure and condition of the riparian zones correspond totally or nearly totally to undisturbed conditions.	Conditions consistent with the achievement of the values specified above for the biological quality elements.	Conditions consistent with the achievement of the values specified above for the biological quality elements.

Physio-chemical quality elements⁽¹⁾

Element	High status	Good status	Moderate status
General conditions	<p>The physico-chemical elements correspond totally or nearly totally to undisturbed conditions.</p> <p>Nutrient concentrations remain within the range normally associated with undisturbed conditions.</p> <p>Levels of salinity, pH, oxygen balance, acid neutralizing capacity and temperature do not show signs of anthropogenic disturbance and remain within the range normally associated with undisturbed conditions.</p>	<p>Temperature, oxygen balance, pH, acid neutralizing capacity and salinity do not reach levels outside the range established so as to ensure the functioning of the type specific ecosystem and the achievement of the values specified above for the biological quality elements.</p> <p>Nutrient concentrations do not exceed the levels established so as to ensure the functioning of the ecosystem and the achievement of the values specified above for the biological quality elements.</p>	<p>Conditions consistent with the achievement of the values specified above for the biological quality elements.</p>
Specific synthetic Pollutants	<p>Concentrations close to zero and at least below the limits of detection</p>	<p>Concentrations not in excess of the standards set in accordance with the</p>	<p>Conditions consistent with the achievement of</p>

⁽¹⁾ The following abbreviations are used: bgl = background level, EQS = environmental quality standard.

	of the most advanced analytical techniques in general use.	procedure detailed in section 1.2.6 without prejudice to Directive 91/414/EC and Directive 98/8/EC. (<EQS)	the values specified above for the biological quality elements.
Specific non-synthetic Pollutants	Concentrations remain within the range normally associated with undisturbed conditions (background levels = bgl).	Concentrations not in excess of the standards set in accordance with the procedure detailed in section 1.2.6 (2) without prejudice to Directive 91/414/EC and Directive 98/8/EC. (<EQS)	Conditions consistent with the achievement of the values specified above for the biological quality elements.

- (1) The following abbreviations are used: bgl = background level, EQS = environmental quality standard.
- (2) Application of the standards derived under this protocol shall not require reduction of pollutant concentrations below background levels: (EQS >bgl).

1.2.2. Definitions for high, good and moderate ecological status in lakes.

Biological quality elements

Element	High status	Good status	Moderate status
Phytoplankton	Phytoplankton The taxonomic composition and abundance of phytoplankton correspond totally or nearly totally to undisturbed conditions.	There are slight changes in the composition and abundance of planktonic taxa compared to the type-specific communities. Such changes do not indicate any accelerated growth	The composition and abundance of planktonic taxa differ moderately from the type-specific communities. Biomass is moderately disturbed and may

	<p>The average phytoplankton biomass is consistent with the type-specific physico-chemical conditions and is not such as to significantly alter the type-specific transparency conditions.</p> <p>Planktonic blooms occur at a frequency and intensity which is consistent with the type specific physicochemical conditions.</p>	<p>of algae resulting in undesirable disturbance to the balance of organisms present in the water body or to the physico-chemical quality of the water or sediment.</p> <p>A slight increase in the frequency and intensity of the type specific planktonic blooms may occur.</p>	<p>be such as to produce a significant undesirable disturbance in the condition of other biological quality elements and the physico-chemical quality of the water or sediment.</p> <p>A moderate increase in the frequency and intensity of planktonic blooms may occur. Persistent blooms may occur during summer months.</p>
<p>Macrophytes and phytobenthos</p>	<p>The taxonomic composition corresponds totally or nearly totally to undisturbed conditions.</p> <p>There are no detectable changes in the average macrophytic and the average phytobenthic abundance.</p>	<p>There are slight changes in the composition and abundance of macrophytic and phytobenthic taxa compared to the type-specific communities. Such changes do not indicate any accelerated growth of phytobenthos or higher forms of plant life resulting in undesirable disturbance to the balance of</p>	<p>The composition of macrophytic and phytobenthic taxa differ moderately from the type-specific communities and are significantly more distorted than those observed at good quality.</p> <p>Moderate changes in the average macrophytic and the average phytobenthic abundance are evident.</p>

		<p>organisms present in the water body or to the physico-chemical quality of the water.</p> <p>The phytobenthic community is not adversely affected by bacterial tufts and coats present due to anthropogenic activity.</p>	<p>The phytobenthic community may be interfered with, and, in some areas, displaced by bacterial tufts and coats present as a result of anthropogenic activities.</p>
<p>Benthic vertebrate fauna</p>	<p>The taxonomic composition and abundance correspond totally or nearly totally to the undisturbed conditions.</p> <p>The ratio of disturbance sensitive taxa to insensitive taxa shows no signs of alteration from undisturbed levels.</p> <p>The level of diversity of invertebrate taxa shows no sign of alteration from undisturbed levels.</p>	<p>There are slight changes in the composition and abundance of invertebrate taxa compared to the type-specific communities.</p> <p>The ratio of disturbance sensitive taxa to insensitive taxa shows slight signs of alteration from type-specific levels.</p> <p>The level of diversity of invertebrate taxa shows slight signs of alteration from type-specific levels.</p>	<p>The composition and abundance of invertebrate taxa differ moderately from the type-specific conditions.</p> <p>Major taxonomic groups of the type-specific community are absent.</p> <p>The ratio of disturbance sensitive to insensitive taxa, and the level of diversity, are substantially lower than the type-specific level and significantly lower than for good status.</p>

Fish fauna	<p>Species composition and abundance correspond totally or nearly totally to undisturbed conditions.</p> <p>All the type-specific sensitive species are present.</p> <p>The age structures of the fish communities show little sign of anthropogenic disturbance and are not indicative of a failure in the reproduction or development of a particular species.</p>	<p>There are slight changes in species composition and abundance from the type-specific communities attributable to anthropogenic impacts on physicochemical or hydromorphological quality elements.</p> <p>The age structures of the fish communities show signs of disturbance attributable to anthropogenic impacts on physicochemical or hydromorphological quality elements, and, in a few instances, are indicative of a failure in the reproduction or development of a particular species, to the extent that some age classes may be missing.</p>	<p>The composition and abundance of fish species differ moderately from the type-specific communities attributable to anthropogenic impacts on physicochemical or hydromorphological quality elements.</p> <p>The age structure of the fish communities shows major signs of disturbance, attributable to anthropogenic impacts on physicochemical or hydromorphological quality elements, to the extent that a moderate proportion of the type specific species are absent or of very low abundance.</p>
------------	--	--	---

Hydromorphological quality elements

Element	High status	Good status	Moderate status
Hydrological regime	The quantity and dynamics of flow, level, residence time, and the resultant connection to groundwaters, reflect totally or nearly	Conditions consistent with the achievement of the values specified above for the biological quality elements.	Conditions consistent with the achievement of the values specified above for the biological quality elements.

	totally undisturbed conditions.		
Morphological conditions	Lake depth variation, quantity and structure of the substrate, and both the structure and condition of the lake shore zone correspond totally or nearly totally to undisturbed conditions.	Conditions consistent with the achievement of the values specified above for the biological quality elements.	Conditions consistent with the achievement of the values specified above for the biological quality elements.

Physio-chemical quality elements⁽¹⁾

Element	High status	Good status	Moderate status
General conditions	<p>The values of physico-chemical elements correspond totally or nearly totally to undisturbed conditions.</p> <p>Nutrient concentrations remain within the range normally associated with undisturbed conditions.</p> <p>Levels of salinity, pH, oxygen balance, acid neutralizing capacity, transparency and temperature do not show signs of anthropogenic disturbance and</p>	<p>Temperature, oxygen balance, pH, acid neutralising capacity, transparency and salinity do not reach levels outside the range established so as to ensure the functioning of the ecosystem and the achievement of the values specified above for the biological quality elements.</p> <p>Nutrient concentrations do not exceed the levels established so as to ensure the functioning of the</p>	<p>Conditions consistent with the achievement of the values specified above for the biological quality elements.</p>

	remain within the range normally associated with undisturbed conditions.	ecosystem and the achievement of the values specified above for the biological quality elements.	
Specific synthetic Pollutants	Concentrations close to zero and at least below the limits of detection of the most advanced analytical techniques in general use.	Concentrations not in excess of the standards set in accordance with the procedure detailed in section 1.2.6 without prejudice to Directive 91/414/EC and Directive 98/8/EC. (<EQS)	Conditions consistent with the achievement of the values specified above for the biological quality elements.
Specific non-synthetic Pollutants	Concentrations remain within the range normally associated with undisturbed conditions (background levels = bgl).	Concentrations not in excess of the standards set in accordance with the procedure detailed in section 1.2.6 (2) without prejudice to Directive 91/414/EC and Directive 98/8/EC. (<EQS)	Conditions consistent with the achievement of the values specified above for the biological quality elements.

(1) The following abbreviations are used: bgl = background level, EQS = environmental quality standard.

(2) Application of the standards derived under this protocol shall not require reduction of pollutant concentrations below background levels: (EQS >bgl).

1.2.3. Definitions for high, good and moderate ecological status in transitional waters.

Biological quality elements

Element	High status	Good status	Moderate status
Phytoplankton	<p>The composition and abundance of the phytoplanktonic taxa are consistent with undisturbed conditions.</p> <p>The average phytoplankton biomass is consistent with the type-specific physico-chemical conditions and is not such as to significantly alter the type-specific transparency conditions.</p> <p>Planktonic blooms occur at a frequency and intensity which is consistent with the type specific physicochemical conditions.</p>	<p>There are slight changes in the composition and abundance of phytoplanktonic taxa.</p> <p>There are slight changes in biomass compared to the type-specific conditions. Such changes do not indicate any accelerated growth of algae resulting in undesirable disturbance to the balance of organisms present in the water body or to the physico-chemical quality of the water.</p> <p>A slight increase in the frequency and intensity of the type specific planktonic blooms may occur.</p>	<p>The composition and abundance of phytoplanktonic taxa differ moderately from type-specific conditions.</p> <p>Biomass is moderately disturbed and may be such as to produce a significant undesirable disturbance in the condition of other biological quality elements.</p> <p>A moderate increase in the frequency and intensity of planktonic blooms may occur. Persistent blooms may occur during summer months.</p>
Macroalgae	<p>The composition of macroalgal taxa is consistent with undisturbed conditions.</p> <p>There are no detectable</p>	<p>There are slight changes in the composition and abundance of macroalgal taxa compared to the type-specific communities. Such</p>	<p>The composition of macroalgal taxa differs moderately from type-specific conditions and is significantly more distorted than at good quality.</p>

PUBLIC HEALTH (WATER FRAMEWORK) RULES 2004

This version is out of date

Subsidiary
2004/098

	changes in macroalgal cover due to anthropogenic activities.	changes do not indicate any accelerated growth of phytobenthos or higher forms of plant life resulting in undesirable disturbance to the balance of organisms present in the water body or to the physico-chemical quality of the water.	Moderate changes in the average macroalgal abundance are evident and may be such as to result in an undesirable disturbance to the balance of organisms present in the water body.
Angiosperms	<p>The taxonomic composition corresponds totally or nearly totally to undisturbed conditions.</p> <p>There are no detectable changes in angiosperm abundance due to anthropogenic activities.</p>	<p>There are slight changes in the composition of angiosperm taxa compared to the type-specific communities.</p> <p>Angiosperm abundance shows slight signs of disturbance.</p>	<p>The composition of the angiosperm taxa differs moderately from the type-specific communities and is significantly more distorted than at good quality.</p> <p>There are moderate distortions in the abundance of angiosperm taxa.</p>
Benthic invertebrate fauna	<p>The level of diversity and abundance of invertebrate taxa is within the range normally associated with undisturbed conditions.</p> <p>All the disturbance-sensitive taxa</p>	<p>The level of diversity and abundance of invertebrate taxa is slightly outside the range associated with the type-specific conditions.</p> <p>Most of the sensitive taxa of the type-specific communities are</p>	<p>The level of diversity and abundance of invertebrate taxa is moderately outside the range associated with the type-specific conditions.</p> <p>Taxa indicative of pollution are present.</p>

	associated with undisturbed conditions are present.	present.	Many of the sensitive taxa of the type-specific communities are absent.
Fish fauna	Species composition and abundance is consistent with undisturbed conditions.	The abundance of the disturbance-sensitive species shows slight signs of distortion from type-specific conditions attributable to anthropogenic impacts on physicochemical or hydromorphological quality elements.	A moderate proportion of the type-specific disturbance-sensitive species are absent as a result of anthropogenic impacts on physicochemical or hydromorphological quality elements.

Hydromorphological quality elements

Element	High status	Good status	Moderate status
Tidal regime	The freshwater flow regime corresponds totally or nearly totally to undisturbed conditions.	Conditions consistent with the achievement of the values specified above for the biological quality elements.	Conditions consistent with the achievement of the values specified above for the biological quality elements.
Morphological conditions	Depth variations, substrate conditions, and both the structure and condition of the intertidal zones correspond totally or nearly totally to undisturbed conditions.	Conditions consistent with the achievement of the values specified above for the biological quality elements.	Conditions consistent with the achievement of the values specified above for the biological quality elements.

Physio-chemical quality elements⁽¹⁾

Element	High status	Good status	Moderate status
General conditions	<p>Physico-chemical elements correspond totally or nearly totally to undisturbed conditions.</p> <p>Nutrient concentrations remain within the range normally associated with undisturbed conditions.</p> <p>Temperature, oxygen balance and transparency do not show signs of anthropogenic disturbance and remain within the range normally associated with undisturbed conditions.</p>	<p>Temperature, oxygenation conditions and transparency do not reach levels outside the ranges established so as to ensure the functioning of the ecosystem and the achievement of the values specified above for the biological quality elements.</p> <p>Nutrient concentrations do not exceed the levels established so as to ensure the functioning of the ecosystem and the achievement of the values specified above for the biological quality elements.</p>	<p>Conditions consistent with the achievement of the values specified above for the biological quality elements.</p>
Specific synthetic Pollutants	<p>Concentrations close to zero and at least below the limits of detection of the most advanced analytical techniques in general use.</p>	<p>Concentrations not in excess of the standards set in accordance with the procedure detailed in section 1.2.6 without prejudice to Directive 91/414/EC and Directive 98/8/EC. (<EQS)</p>	<p>Conditions consistent with the achievement of the values specified above for the biological quality elements.</p>

Specific non-synthetic Pollutants	Concentrations remain within the range normally associated with undisturbed conditions (background levels = bgl).	Concentrations not in excess of the standards set in accordance with the procedure detailed in section 1.2.6 (2) without prejudice to Directive 91/414/EC and Directive 98/8/EC. (<EQS)	Conditions consistent with the achievement of the values specified above for the biological quality elements.
-----------------------------------	---	---	---

(1) The following abbreviations are used: bgl = background level, EQS = environmental quality standard.

(2) Application of the standards derived under this protocol shall not require reduction of pollutant concentrations below background levels: (EQS >bgl).

1.2.4. Definitions for high, good and moderate ecological status in coastal waters.

Biological quality elements

Element	High status	Good status	Moderate status
Phytoplankton	<p>The composition and abundance of phytoplanktonic taxa are consistent with undisturbed conditions.</p> <p>The average phytoplankton biomass is consistent with the type-specific physico-chemical conditions and is not such as to significantly alter the type-specific transparency conditions.</p>	<p>The composition and abundance of phytoplanktonic taxa show slight signs of disturbance.</p> <p>There are slight changes in biomass compared to type-specific conditions. Such changes do not indicate any accelerated growth of algae resulting in undesirable disturbance to the balance of organisms present in the water body or</p>	<p>The composition and abundance of planktonic taxa show signs of moderate disturbance.</p> <p>Algal biomass is substantially outside the range associated with type-specific conditions, and is such as to impact upon other biological quality elements.</p>

	Planktonic blooms occur at a frequency and intensity which is consistent with the type specific physicochemical conditions.	to the quality of the water. A slight increase in the frequency and intensity of the type-specific planktonic blooms may occur.	A moderate increase in the frequency and intensity of planktonic blooms may occur. Persistent blooms may occur during summer months.
Macroalgae and angiosperms	All disturbance-sensitive macroalgal and angiosperm taxa associated with undisturbed conditions are present. The levels of macroalgal cover and angiosperm abundance are consistent with undisturbed conditions.	Most disturbance-sensitive macroalgal and angiosperm taxa associated with undisturbed conditions are present. The level of macroalgal cover and angiosperm abundance show slight signs of disturbance.	A moderate number of the disturbance-sensitive macroalgal and angiosperm taxa associated with undisturbed conditions are absent. Macroalgal cover and angiosperm abundance is moderately disturbed and may be such as to result in an undesirable disturbance to the balance of organisms present in the water body.
Benthic invertebrate fauna	The level of diversity and abundance of	The level of diversity and abundance of	The level of diversity and abundance of

	<p>invertebrate taxa is within the range normally associated with undisturbed conditions.</p> <p>All the disturbance-sensitive taxa associated with undisturbed conditions are present.</p>	<p>invertebrate taxa is slightly outside the range associated with the type-specific conditions.</p> <p>Most of the sensitive taxa of the type-specific communities are present.</p>	<p>invertebrate taxa is moderately outside the range associated with the type-specific conditions.</p> <p>Taxa indicative of pollution are present.</p> <p>Many of the sensitive taxa of the type-specific communities are absent.</p>
--	---	--	--

Hydromorphological quality elements

Element	High status	Good status	Moderate status
Tidal regime	The freshwater flow regime and the direction and speed of dominant currents correspond totally or nearly totally to undisturbed conditions.	Conditions consistent with the achievement of the values specified above for the biological quality elements.	Conditions consistent with the achievement of the values specified above for the biological quality elements.
Morphological conditions	The depth variation, structure and substrate of the coastal bed, and both the structure and condition of the inter-tidal zones correspond totally or nearly totally to the	Conditions consistent with the achievement of the values specified above for the biological quality elements.	Conditions consistent with the achievement of the values specified above for the biological quality elements.

	undisturbed conditions.		
--	-------------------------	--	--

Physio-chemical quality elements⁽¹⁾

Element	High status	Good status	Moderate status
General conditions	<p>The physico-chemical elements correspond totally or nearly totally to undisturbed conditions.</p> <p>Nutrient concentrations remain within the range normally associated with undisturbed conditions.</p> <p>Temperature, oxygen balance and transparency do not show signs of anthropogenic disturbance and remain within the ranges normally associated with undisturbed conditions.</p>	<p>Temperature, oxygenation conditions and transparency do not reach levels outside the ranges established so as to ensure the functioning of the ecosystem and the achievement of the values specified above for the biological quality elements.</p> <p>Nutrient concentrations do not exceed the levels established so as to ensure the functioning of the ecosystem and the achievement of the values specified above for the biological quality elements.</p>	<p>Conditions consistent with the achievement of the values specified above for the biological quality elements.</p>
Specific synthetic Pollutants	<p>Concentrations close to zero and at least below the limits of detection of the most advanced analytical techniques in</p>		

	<p>general use.</p> <p>Concentrations not in excess of the standards set in accordance with the procedure detailed in section 1.2.6 without prejudice to Directive 91/414/EC and Directive 98/8/EC. (<EQS)</p> <p>Conditions consistent with the achievement of the values specified above for the biological quality elements.</p>		
Specific non-synthetic Pollutants	<p>Concentrations remain within the range normally associated with undisturbed conditions (background levels = bgl).</p>	<p>Concentrations not in excess of the standards set in accordance with the procedure detailed in section 1.2.6 (2) without prejudice to Directive 91/414/EC and Directive 98/8/EC. (<EQS)</p>	<p>Conditions consistent with the achievement of the values specified above for the biological quality elements.</p>

(1) The following abbreviations are used: bgl = background level, EQS = environmental quality standard.

(2) Application of the standards derived under this protocol shall not require reduction of pollutant concentrations below background levels: (EQS >bgl).

1.2.5. Definitions for maximum, good and moderate ecological potential for heavily modified or artificial waterbodies

Element	Element Maximum ecological potential	Good ecological potential	Moderate ecological potential

Biological quality elements	The values of the relevant biological quality elements reflect, as far as possible, those associated with the closest comparable surface water body type, given the physical conditions which result from the artificial or heavily modified characteristics of the water body.	There are slight changes in the values of the relevant biological quality elements as compared to the values found at maximum ecological potential.	There are moderate changes in the values of the relevant biological quality elements as compared to the values found at maximum ecological potential. These values are significantly more distorted than those found under good quality.
Hydromorphological Elements	The hydromorphological conditions are consistent with the only impacts on the surface water body being those resulting from the artificial or heavily modified characteristics of the water body once all mitigation measures have been taken to ensure the best approximation to ecological continuum, in particular with respect to migration of fauna and appropriate spawning and breeding grounds.	Conditions consistent with the achievement of the values specified above for the biological quality elements.	Conditions consistent with the achievement of the values specified above for the biological quality elements.
Physio-	Physico-chemical	The values for	Conditions

<p>chemical quality elements General conditions</p>	<p>elements correspond totally or nearly totally to the undisturbed conditions associated with the surface water body type most closely comparable to the artificial or heavily modified body concerned.</p> <p>Nutrient concentrations remain within the range normally associated with such undisturbed conditions.</p> <p>The levels of temperature, oxygen balance and pH are consistent with the those found in the most closely comparable surface water body types under undisturbed conditions.</p>	<p>physico-chemical elements are within the ranges established so as to ensure the functioning of the ecosystem and the achievement of the values specified above for the biological quality elements.</p> <p>Temperature and pH do not reach levels outside the ranges established so as to ensure the functioning of the ecosystem and the achievement of the values specified above for the biological quality elements.</p> <p>Nutrient concentrations do not exceed the levels established so as to ensure the functioning of the ecosystem and the achievement of the values specified above for the biological quality elements.</p>	<p>consistent with the achievement of the values specified above for the biological quality elements.</p>
<p>Specific synthetic Pollutants</p>	<p>Concentrations close to zero and at least below the limits of detection of the most advanced analytical</p>	<p>Concentrations not in excess of the standards set in accordance</p>	<p>Conditions consistent with the achievement</p>

	techniques in general use.	with the procedure detailed in section 1.2.6 without prejudice to Directive 91/414/EC and Directive 98/8/EC. (<EQS)	of the values specified above for the biological quality elements.
Specific non-synthetic Pollutants	Concentrations remain within the range normally associated with the undisturbed conditions found in the surface water body type most closely comparable to the artificial or heavily modified body concerned (background levels = bgl).	Concentrations not in excess of the standards set in accordance with the procedure detailed in section 1.2.6 ⁽¹⁾ without prejudice to Directive 91/414/EC and Directive 98/8/EC. (<EQS)	Conditions consistent with the achievement of the values specified above for the biological quality elements.

(1) Application of the standards derived under this protocol shall not require reduction of pollutant concentrations below background levels.

1.2.6. Procedure for the setting of chemical quality standards by Member States.

In deriving environmental quality standards for pollutants listed in points 1 to 9 of Annex VIII for the protection of aquatic biota, Member States shall act in accordance with the following provisions. Standards may be set for water, sediment or biota.

Where possible, both acute and chronic data shall be obtained for the taxa set out below which are relevant for the water body type concerned as well as any other aquatic taxa for which data are available. The 'base set' of taxa are:

- algae and/or macrophytes
- daphnia or representative organisms for saline waters

- fish.

Setting the environmental quality standard

The following procedure applies to the setting of a maximum annual average concentration:

- (i) Member States shall set appropriate safety factors in each case consistent with the nature and quality of the available data and the guidance given in section 3.3.1 of Part II of 'Technical guidance document in support of Commission Directive 93/67/EEC on risk assessment for new notified substances and Commission Regulation (EC) No 1488/94 on risk assessment for existing substances' and the safety factors set out in the table below:

	Safety factor
At least one acute L(E)C50 from each of three trophic levels of the base set	1 000
One chronic NOEC (either fish or daphnia or a representative organism for saline waters)	100
Two chronic NOECs from species representing two trophic levels (fish and/or daphnia or a representative organism for saline waters and/or algae)	50
Chronic NOECs from at least three species (normally fish, daphnia or a representative organism for saline waters and algae) representing three trophic levels	10
Other cases, including field data or model ecosystems, which allow more precise safety factors to be calculated and applied	Case-by-case assessment

- (ii) where data on persistence and bioaccumulation are available, these shall be taken into account in deriving the final value of the environmental quality standard;
- (iii) the standard thus derived should be compared with any evidence from field studies. Where anomalies appear, the derivation shall be reviewed to allow a more precise safety factor to be calculated;
- (iv) the standard derived shall be subject to peer review and public consultation including to allow a more precise safety factor to be calculated.

1.3. Monitoring of ecological status and chemical status for surface waters.

The surface water monitoring network shall be established in accordance with the requirements of Article 8. The monitoring network shall be designed so as to provide a coherent and comprehensive overview of ecological and chemical status within each river basin and shall permit classification of water bodies into five classes consistent with the normative definitions in section 1.2. Member States shall provide a map or maps showing the surface water monitoring network in the river basin management plan.

On the basis of the characterisation and impact assessment carried out in accordance with Article 5 and Annex II, Member States shall for each period to which a river basin management plan applies, establish a surveillance monitoring programme and an operational monitoring programme. Member States may also need in some cases to establish programmes of investigative monitoring.

Member States shall monitor parameters which are indicative of the status of each relevant quality element. In selecting parameters for biological quality elements Member States shall identify the appropriate taxonomic level required to achieve adequate confidence and precision in the classification of the quality elements. Estimates of the level of confidence and precision of the results provided by the monitoring programmes shall be given in the plan.

1.3.1. Design of surveillance monitoring.

Objective

Member States shall establish surveillance monitoring programmes to provide information for:

- supplementing and validating the impact assessment procedure detailed in Annex II,
- the efficient and effective design of future monitoring programmes,
- the assessment of long-term changes in natural conditions, and
- the assessment of long-term changes resulting from widespread anthropogenic activity.

The results of such monitoring shall be reviewed and used, in combination with the impact assessment procedure described in Annex II, to determine requirements for monitoring programmes in the current and subsequent river basin management plans.

Selection of monitoring points

Surveillance monitoring shall be carried out of sufficient surface water bodies to provide an assessment of the overall surface water status within each catchment or subcatchments within the river basin district. In selecting these bodies Member States shall ensure that, where appropriate, monitoring is carried out at points where:

- the rate of water flow is significant within the river basin district as a whole; including points on large rivers where the catchment area is greater than 2 500 km²,
- the volume of water present is significant within the river basin district, including large lakes and reservoirs,
- significant bodies of water cross a Member State boundary,
- sites are identified under the Information Exchange Decision 77/795/EEC, and

at such other sites as are required to estimate the pollutant load which is transferred across Member State boundaries, and which is transferred into the marine environment.

Selection of quality elements

Surveillance monitoring shall be carried out for each monitoring site for a period of one year during the period covered by a river basin management plan for:

- parameters indicative of all biological quality elements,
- parameters indicative of all hydromorphological quality elements,
- parameters indicative of all general physico-chemical quality elements,
- priority list pollutants which are discharged into the river basin or sub-basin, and
- other pollutants discharged in significant quantities in the river basin or sub-basin, unless the previous surveillance monitoring exercise showed that the body concerned reached good status and there is no evidence from the review of impact of human activity in Annex II that the impacts on the body have changed. In these cases, surveillance monitoring shall be carried out once every three river basin management plans.

1.3.2. design of operational monitoring.

Operational monitoring shall be undertaken in order to:

- establish the status of those bodies identified as being at risk of failing to meet their environmental objectives, and
- assess any changes in the status of such bodies resulting from the programmes of measures.

The programme may be amended during the period of the river basin management plan in the light of information obtained as part of the requirements of Annex II or as part of this Annex, in particular to allow a reduction in frequency where an impact is found not to be significant or the relevant pressure is removed.

Selection of monitoring sites

Operational monitoring shall be carried out for all those bodies of water which on the basis of either the impact assessment carried out in accordance with Annex II or surveillance monitoring are identified as being at risk of failing to meet their environmental objectives under Article 4 and for those

bodies of water into which priority list substances are discharged. Monitoring points shall be selected for priority list substances as specified in the legislation laying down the relevant environmental quality standard. In all other cases, including for priority list substances where no specific guidance is given in such legislation, monitoring points shall be selected as follows:

- for bodies at risk from significant point source pressures, sufficient monitoring points within each body in order to assess the magnitude and impact of the point source. Where a body is subject to a number of point source pressures monitoring points may be selected to assess the magnitude and impact of these pressures as a whole,
- for bodies at risk from significant diffuse source pressures, sufficient monitoring points within a selection of the bodies in order to assess the magnitude and impact of the diffuse source pressures. The selection of bodies shall be made such that they are representative of the relative risks of the occurrence of the diffuse source pressures, and of the relative risks of the failure to achieve good surface water status,
- for bodies at risk from significant hydromorphological pressure, sufficient monitoring points within a selection of the bodies in order to assess the magnitude and impact of the hydromorphological pressures. The selection of bodies shall be indicative of the overall impact of the hydromorphological pressure to which all the bodies are subject.

Selection of quality elements

In order to assess the magnitude of the pressure to which bodies of surface water are subject Member States shall monitor for those quality elements which are indicative of the pressures to which the body or bodies are subject. In order to assess the impact of these pressures, Member States shall monitor as relevant:

- parameters indicative of the biological quality element, or elements, most sensitive to the pressures to which the water bodies are subject,
- all priority substances discharged, and other pollutants discharged in significant quantities,

- parameters indicative of the hydromorphological quality element most sensitive to the pressure identified.

1.3.3. Design of investigative monitoring.

Objective

Investigative monitoring shall be carried out:

- where the reason for any exceedances is unknown,
- where surveillance monitoring indicates that the objectives set out in Article 4 for a body of water are not likely to be achieved and operational monitoring has not already been established, in order to ascertain the causes of a water body or water bodies failing to achieve the environmental objectives, or
- to ascertain the magnitude and impacts of accidental pollution, and shall inform the establishment of a programme of measures for the achievement of the environmental objectives and specific measures necessary to remedy the effects of accidental pollution.

1.3.4. Frequency of monitoring.

For the surveillance monitoring period, the frequencies for monitoring parameters indicative of physico-chemical quality elements given below should be applied unless greater intervals would be justified on the basis of technical knowledge and expert judgement. For biological or hydromorphological quality elements monitoring shall be carried out at least once during the surveillance monitoring period.

For operational monitoring, the frequency of monitoring required for any parameter shall be determined by Member States so as to provide sufficient data for a reliable assessment of the status of the relevant quality element. As a guideline, monitoring should take place at intervals not exceeding those shown in the table below unless greater intervals would be justified on the basis of technical knowledge and expert judgement.

Frequencies shall be chosen so as to achieve an acceptable level of confidence and precision. Estimates of the confidence and precision attained by the monitoring system used shall be stated in the river basin management plan.

Monitoring frequencies shall be selected which take account of the variability in parameters resulting from both natural and anthropogenic conditions. The times at which monitoring is undertaken shall be selected so as to minimise the impact of seasonal variation on the results, and thus ensure that the results reflect changes in the water body as a result of changes due to anthropogenic pressure. Additional monitoring during different seasons of the same year shall be carried out, where necessary, to achieve this objective.

QUALITY ELEMENT	RIVERS	LAKES	TRANSITIONAL	COASTAL
Biological				
Phytoplankton	6 months	6 months	6 months	6 months
Other aquatic flora	3 years	3 years	3 years	3 years
Macro invertebrates	3 years	3 years	3 years	3 years
Fish	3 years	3 years	3 years	
Hydromorphological				
Continuity	6 years			
Hydrology	continuous	1 month		
Morphology	6 years	6 years	6 years	6 years
Physico-chemical				
Thermal conditions	3 months	3 months	3 months	3 months
Oxygenation	3 months	3 months	3 months	3 months
Salinity	3 months	3 months	3 months	
Nutrient status	3 months	3 months	3 months	3 months
Acidification status	3 months	3 months		
Other pollutants	3 months	3 months	3 months	3 months
Priority substances	1 months	1 month	1 month	1 month

1.3.5. Additional monitoring requirements for protected areas.

The monitoring programmes required above shall be supplemented in order to fulfill the following requirements:

Drinking water abstraction points

Bodies of surface water designated in Article 7 which provide more than 100 m³ a day as an average shall be designated as monitoring sites and shall be subject to such additional monitoring as may be necessary to meet the requirements of that Article. Such bodies shall be monitored for all priority substances discharged and all other substances discharged in significant quantities which could affect the status of the body of water and which are controlled under the provisions of the Drinking Water Directive. Monitoring shall be carried out in accordance with the frequencies set out below:

Community served	Frequency
<10 000	4 per year
10 000 to 30 000	8 per year
>30 000	12 per year.

Habitat and species protection areas

Bodies of water forming these areas shall be included within the operational monitoring programme referred to above where, on the basis of the impact assessment and the surveillance monitoring, they are identified as being at risk of failing to meet their environmental objectives under Article 4. Monitoring shall be carried out to assess the magnitude and impact of all relevant significant pressures on these bodies and, where necessary, to assess changes in the status of such bodies resulting from the programmes of measures. Monitoring shall continue until the areas satisfy the water-related requirements of the legislation under which they are designated and meet their objectives under Article 4.

1.3.6. Standards for monitoring of quality elements.

Methods used for the monitoring of type parameters shall conform to the international standards listed below or such other national or international standards which will ensure the provision of data of an equivalent scientific quality and comparability.

Macroinvertebrate sampling

ISO 5667-3:1995	Water quality - Sampling - Part 3: Guidance on the preservation and handling of samples
EN 27828:1994	Water quality - Methods for biological sampling - Guidance on hand net sampling of benthic macroinvertebrates
EN 28265:1994	Water quality - Methods of biological sampling -

			Guidance on the design and use of quantitative samplers for benthic macroinvertebrates on stony substrata in shallow waters
EN 9391:1995	ISO		Water quality - Sampling in deep waters for macroinvertebrates - Guidance on the use of colonisation, qualitative and quantitative samplers
EN 1:1999	ISO 8689-		Biological classification of rivers PART I: Guidance on the interpretation of biological quality data from surveys of benthic macroinvertebrates in running waters
EN 2:1999	ISO 8689-		Biological classification of rivers PART II: Guidance on the presentation of biological quality data from surveys of benthic macroinvertebrates in running waters

Macrophyte sampling

Relevant CEN / ISO standards when developed

Fish sampling

Relevant CEN / ISO standards when developed

Diatom sampling

Relevant CEN/ISO standards when developed

Standards for physico-chemical parameters

Any relevant CEN/ISO standards

Standards for hydromorphological parameters

Any relevant CEN/ISO standards

1.4. Classification and presentation of ecological status.

1.4.1. Comparability of biological monitoring results

- (i) Member States shall establish monitoring systems for the purpose of estimating the values of the biological quality elements specified for each surface water category or for heavily modified and artificial bodies of surface water. In

applying the procedure set out below to heavily modified or artificial water bodies, references to ecological status should be construed as references to ecological potential. Such systems may utilise particular species or groups of species which are representative of the quality element as a whole.

- (ii) In order to ensure comparability of such monitoring systems, the results of the systems operated by each Member State shall be expressed as ecological quality ratios for the purposes of classification of ecological status. These ratios shall represent the relationship between the values of the biological parameters observed for a given body of surface water and the values for these parameters in the reference conditions applicable to that body. The ratio shall be expressed as a numerical value between zero and one, with high ecological status represented by values close to one and bad ecological status by values close to zero.
- (iii) Each Member State shall divide the ecological quality ratio scale for their monitoring system for each surface water category into five classes ranging from high to bad ecological status, as defined in Section 1.2, by assigning a numerical value to each of the boundaries between the classes. The value for the boundary between the classes of high and good status, and the value for the boundary between good and moderate status shall be established through the intercalibration exercise described below.
- (iv) The Commission shall facilitate this intercalibration exercise in order to ensure that these class boundaries are established consistent with the normative definitions in Section 1.2 and are comparable between Member States.
- (v) As part of this exercise the Commission shall facilitate an exchange of information between Members States leading to the identification of a range of sites in each ecoregion in the Community; these sites will form an intercalibration network. The network shall consist of sites selected from a range of surface water body types present within each ecoregion. For each surface water body type selected, the network shall consist of at least two sites corresponding to the boundary between the normative definitions of high and good status, and at least two sites corresponding to the boundary between the normative definitions of good and moderate status. The sites shall be

selected by expert judgement based on joint inspections and all other available information.

- (vi) Each Member State monitoring system shall be applied to those sites in the intercalibration network which are both in the ecoregion and of a surface water body type to which the system will be applied pursuant to the requirements of this Directive. The results of this application shall be used to set the numerical values for the relevant class boundaries in each Member State monitoring system.
- (vii) Within three years of the date of entry into force of the Directive, the Commission shall prepare a draft register of sites to form the intercalibration network which may be adapted in accordance with the procedures laid down in Article 21. The final register of sites shall be established within four years of the date of entry into force of the Directive and shall be published by the Commission.
- (viii) The Commission and Member States shall complete the intercalibration exercise within 18 months of the date on which the finalised register is published.
- (ix) The results of the intercalibration exercise and the values established for the Member State monitoring system classifications shall be published by the Commission within six months of the completion of the intercalibration exercise.

1.4.2. Presentation of monitoring results and classification of ecological status and ecological potential.

- (i) For surface water categories, the ecological status classification for the body of water shall be represented by the lower of the values for the biological and physico-chemical monitoring results for the relevant quality elements classified in accordance with the first column of the table set out below. Member States shall provide a map for each river basin district illustrating the classification of the ecological status for each body of water, colour-coded in accordance with the second column of the table set out below to reflect the ecological status classification of the body of water:

Ecological status classification	Colour code
High	Blue

PUBLIC HEALTH (WATER FRAMEWORK) RULES 2004

This version is out of date

**Subsidiary
2004/098**

Good	Green
Moderate	Yellow
Poor	Orange
Bad	Red

- (ii) or heavily modified and artificial water bodies, the ecological potential classification for the body of water shall be represented by the lower of the values for the biological and physico-chemical monitoring results for the relevant quality elements classified in accordance with the first column of the table set out below. Member States shall provide a map for each river basin district illustrating the classification of the ecological potential for each body of water, colour-coded, in respect of artificial water bodies in accordance with the second column of the table set out below, and in respect of heavily modified water bodies in accordance with the third column of that table:

Ecological potential classification	Colour code	
	Artificial Water Bodies	Heavily Modified
Good and above	Equal green and light grey stripes	Equal green and dark grey stripes
Moderate	Equal yellow and light grey stripes	Equal yellow and dark grey stripes
Poor	Equal orange and light grey stripes	Equal orange and dark grey stripes
Bad	Equal red and light grey stripes	Equal red and dark grey stripes

- (iii) Member States shall also indicate, by a black dot on the map, those bodies of water where failure to achieve good status or good ecological potential is due to non-compliance with one or more environmental quality standards which have been established for that body of water in respect of specific synthetic and non-synthetic pollutants (in accordance with the compliance regime established by the Member State).

1.4.3. Presentation of monitoring results and classification of chemical status.

Where a body of water achieves compliance with all the environmental quality standards established in Annex IX, Article 16 and under other relevant Community legislation setting environmental quality standards it

shall be recorded as achieving good chemical status. If not, the body shall be recorded as failing to achieve good chemical status.

Member States shall provide a map for each river basin district illustrating chemical status for each body of water, colour-coded in accordance with the second column of the table set out below to reflect the chemical status classification of the body of water:

Chemical status classification	Colour code
Good	Blue
Failing to achieve good	Red

2. GROUNDWATER.

2.1. Groundwater quantitative status

2.1.1. Parameter for the classification of quantitative status

Groundwater level regime

2.1.2. Definition of quantitative status

Elements	Good status
Groundwater level	<p>The level of groundwater in the groundwater body is such that the available groundwater resource is not exceeded by the long-term annual average rate of abstraction. Accordingly, the level of groundwater is not subject to anthropogenic alterations such as would result in:</p> <ul style="list-style-type: none"> - failure to achieve the environmental objectives specified under Article 4 for associated surface waters, - any significant diminution in the status of such waters, - any significant damage to terrestrial ecosystems which depend directly on the groundwater body, <p>and alterations to flow direction resulting from level changes may occur temporarily, or continuously in a spatially limited area, but such reversals do not cause saltwater or other intrusion, and do not indicate a sustained and clearly identified anthropogenically induced trend in flow direction likely to result in such intrusions.</p>

2.2. Monitoring of groundwater quantitative status.

2.2.1. Groundwater level monitoring network

The groundwater monitoring network shall be established in accordance with the requirements of Articles 7 and 8. The monitoring network shall be designed so as to provide a reliable assessment of the quantitative status of all groundwater bodies or groups of bodies including assessment of the available groundwater resource. Member States shall provide a map or maps showing the groundwater monitoring network in the river basin management plan.

2.2.2. Density of monitoring sites

The network shall include sufficient representative monitoring points to estimate the groundwater level in each groundwater body or group of bodies taking into account short and long-term variations in recharge and in particular:

- for groundwater bodies identified as being at risk of failing to achieve environmental objectives under Article 4, ensure sufficient density of monitoring points to assess the impact of abstractions and discharges on the groundwater level,
- for groundwater bodies within which groundwater flows across a Member State boundary, ensure sufficient monitoring points are provided to estimate the direction and rate of groundwater flow across the Member State boundary.

2.2.3. Monitoring frequency

The frequency of observations shall be sufficient to allow assessment of the quantitative status of each groundwater body or group of bodies taking into account short and long-term variations in recharge. In particular:

- for groundwater bodies identified as being at risk of failing to achieve environmental objectives under Article 4, ensure sufficient frequency of measurement to assess the impact of abstractions and discharges on the groundwater level,
- for groundwater bodies within which groundwater flows across a Member State boundary, ensure sufficient frequency of measurement to estimate the direction and rate of groundwater flow across the Member State boundary.

2.2.4. Interpretation and presentation of groundwater quantitative status

The results obtained from the monitoring network for a groundwater body or group of bodies shall be used to assess the quantitative status of that body or those bodies. Subject to point 2.5. Member States shall provide a map of the resulting assessment of groundwater quantitative status, colour-coded in accordance with the following regime:

Good: green

Poor: red

2.3. Groundwater chemical status

2.3.1. Parameters for the determination of groundwater chemical status

Conductivity

Concentrations of pollutants

2.3.2. Definition of good groundwater chemical status

Elements	Good status
General	<p>The chemical composition of the groundwater body is such that the concentrations of pollutants:</p> <ul style="list-style-type: none"> - as specified below, do not exhibit the effects of saline or other intrusions - do not exceed the quality standards applicable under other relevant Community legislation in accordance with Article 17 - are not such as would result in failure to achieve the environmental objectives specified under Article 4 for associated surface waters nor any significant diminution of the ecological or chemical quality of such bodies nor in any significant damage to terrestrial ecosystems which depend directly on the groundwater body
Conductivity	<p>Changes in conductivity are not indicative of saline or other intrusion into the groundwater body</p>

2.4. Monitoring of groundwater chemical status.

2.4.1. Groundwater monitoring network

The groundwater monitoring network shall be established in accordance with the requirements of Articles 7 and 8. The monitoring network shall be designed so as to provide a coherent and comprehensive overview of groundwater chemical status within each river basin and to detect the presence of long-term anthropogenically induced upward trends in pollutants.

On the basis of the characterisation and impact assessment carried out in accordance with Article 5 and Annex II, Member States shall for each period to which a river basin management plan applies, establish a surveillance monitoring programme. The results of this programme shall be used to establish an operational monitoring programme to be applied for the remaining period of the plan.

Estimates of the level of confidence and precision of the results provided by the monitoring programmes shall be given in the plan.

2.4.2. Surveillance monitoring

Objective

Surveillance monitoring shall be carried out in order to:

- supplement and validate the impact assessment procedure,
- provide information for use in the assessment of long term trends both as a result of changes in natural conditions and through anthropogenic activity.

Selection of monitoring sites

Sufficient monitoring sites shall be selected for each of the following:

- bodies identified as being at risk following the characterisation exercise undertaken in accordance with Annex II,
- bodies which cross a Member State boundary.

Selection of parameters

The following set of core parameters shall be monitored in all the selected groundwater bodies:

- oxygen content
- pH value
- conductivity
- nitrate
- ammonium

Bodies which are identified in accordance with Annex II as being at significant risk of failing to achieve good status shall also be monitored for those parameters which are indicative of the impact of these pressures.

Transboundary water bodies shall also be monitored for those parameters which are relevant for the protection of all of the uses supported by the groundwater flow.

2.4.3. Operational monitoring.

Objective

Operational monitoring shall be undertaken in the periods between surveillance monitoring programmes in order to:

- establish the chemical status of all groundwater bodies or groups of bodies determined as being at risk,
- establish the presence of any long term anthropogenically induced upward trend in the concentration of any pollutant.

Selection of monitoring sites

Operational monitoring shall be carried out for all those groundwater bodies or groups of bodies which on the basis of both the impact assessment carried out in accordance with Annex II and surveillance monitoring are identified as being at risk of failing to meet objectives under Article 4. The selection of monitoring sites shall also reflect an assessment of how representative monitoring data from that site is of the quality of the relevant groundwater body or bodies.

Frequency of monitoring

Operational monitoring shall be carried out for the periods between surveillance monitoring programmes at a frequency sufficient to detect the impacts of relevant pressures but at a minimum of once per annum.

2.4.4. Identification of trends in pollutants.

Member States shall use data from both surveillance and operational monitoring in the identification of long term anthropogenically induced upward trends in pollutant concentrations and the reversal of such trends. The base year or period from which trend identification is to be calculated shall be identified. The calculation of trends shall be undertaken for a body or, where appropriate, group of bodies of groundwater. Reversal of a trend shall be demonstrated statistically and the level of confidence associated with the identification stated.

2.4.5. Interpretation and presentation of groundwater chemical status.

In assessing status, the results of individual monitoring points within a groundwater body shall be aggregated for the body as a whole. Without prejudice to the Directives concerned, for good status to be achieved for a groundwater body, for those chemical parameters for which environmental quality standards have been set in Community legislation:

- the mean value of the results of monitoring at each point in the groundwater body or group of bodies shall be calculated, and
- in accordance with Article 17 these mean values shall be used to demonstrate compliance with good groundwater chemical status.

Subject to point 2.5, Member States shall provide a map of groundwater chemical status, colour-coded as indicated below:

Good: green
Poor: red

Member States shall also indicate by a black dot on the map, those groundwater bodies which are subject to a significant and sustained upward trend in the concentrations of any pollutant resulting from the impact of human activity. Reversal of a trend shall be indicated by a blue dot on the map.

These maps shall be included in the river basin management plan.

2.5. Presentation of Groundwater Status.

Member States shall provide in the river basin management plan a map showing for each groundwater body or groups of groundwater bodies both the quantitative status and the chemical status of that body or group of bodies, colour-coded in accordance with the requirements of points 2.2.4 and 2.4.5. Member States may choose not to provide separate maps under points 2.2.4 and 2.4.5 but shall in that case also provide an indication in accordance with the requirements of point 2.4.5 on the map required under this point, of those bodies which are subject to a significant and sustained upward trend in the concentration of any pollutant or any reversal in such a trend.

SCHEDULE 7

Environmental objectives

This Schedule reproduces Article 4 of the Directive:

1. In making operational the programmes of measures specified in the river basin management plans:

- (a) for surface waters-
 - (i) Member States shall implement the necessary measures to prevent deterioration of the status of all bodies of surface water, subject to the application of paragraphs 6 and 7 and without prejudice to paragraph 8;
 - (ii) Member States shall protect, enhance and restore all bodies of surface water, subject to the application of subparagraph (iii) for artificial and heavily modified bodies of water, with the aim of achieving good surface water status at the latest 15 years after the date of entry into force of this Directive, in accordance with the provisions laid down in Annex V, subject to the application of extensions determined in accordance with paragraph 4 and to the application of paragraphs 5, 6 and 7 without prejudice to paragraph 8;
 - (iii) Member States shall protect and enhance all artificial and heavily modified bodies of water, with the aim of achieving good ecological potential and good surface water chemical status at the latest 15 years from the date of entry into force of this Directive, in accordance with the provisions laid down in Annex V, subject to the application of extensions determined in accordance with paragraph 4 and to the application of paragraphs 5, 6 and 7 without prejudice to paragraph 8;
 - (iv) Member States shall implement the necessary measures in accordance with Article 16(1) and (8), with the aim of progressively reducing pollution from priority substances and ceasing or phasing out emissions, discharges and losses of priority hazardous substances

without prejudice to the relevant international agreements referred to in Article 1 for the parties concerned;

- (b) for groundwater
- (i) Member States shall implement the measures necessary to prevent or limit the input of pollutants into groundwater and to prevent the deterioration of the status of all bodies of groundwater, subject to the application of paragraphs 6 and 7 and without prejudice to paragraph 8 of this Article and subject to the application of Article 11(3)(j);
 - (ii) Member States shall protect, enhance and restore all bodies of groundwater, ensure a balance between abstraction and recharge of groundwater, with the aim of achieving good groundwater status at the latest 15 years after the date of entry into force of this Directive, in accordance with the provisions laid down in Annex V, subject to the application of extensions determined in accordance with paragraph 4 and to the application of paragraphs 5, 6 and 7 without prejudice to paragraph 8 of this Article and subject to the application of Article 11(3)(j);
 - (iii) Member States shall implement the measures necessary to reverse any significant and sustained upward trend in the concentration of any pollutant resulting from the impact of human activity in order progressively to reduce pollution of groundwater.

Measures to achieve trend reversal shall be implemented in accordance with paragraphs 2, 4 and 5 of Article 17, taking into account the applicable standards set out in relevant Community legislation, subject to the application of paragraphs 6 and 7 and without prejudice to paragraph 8;

- (c) for protected areas

Member States shall achieve compliance with any standards and objectives at the latest 15 years after the date of entry into force of this Directive, unless otherwise specified in the Community legislation under which the individual protected areas have been established.

2. Where more than one of the objectives under paragraph 1 relates to a given body of water, the most stringent shall apply.

3. Member States may designate a body of surface water as artificial or heavily modified, when:

- (a) the changes to the hydromorphological characteristics of that body which would be necessary for achieving good ecological status would have significant adverse effects on:
 - (i) the wider environment;
 - (ii) navigation, including port facilities, or recreation;
 - (iii) activities for the purposes of which water is stored, such as drinking-water supply, power generation or irrigation;
 - (iv) water regulation, flood protection, land drainage, or
 - (v) other equally important sustainable human development activities;
- (b) the beneficial objectives served by the artificial or modified characteristics of the water body cannot, for reasons of technical feasibility or disproportionate costs, reasonably be achieved by other means, which are a significantly better environmental option.

Such designation and the reasons for it shall be specifically mentioned in the river basin management plans required under Article 13 and reviewed every six years.

4. The deadlines established under paragraph 1 may be extended for the purposes of phased achievement of the objectives for bodies of water, provided that no further deterioration occurs in the status of the affected body of water when all of the following conditions are met:

- (a) Member States determine that all necessary improvements in the status of bodies of water cannot reasonably be achieved within the timescales set out in that paragraph for at least one of the following reasons:
 - (i) the scale of improvements required can only be achieved in phases exceeding the timescale, for reasons of technical feasibility;

- (ii) completing the improvements within the timescale would be disproportionately expensive;
 - (iii) natural conditions do not allow timely improvement in the status of the body of water.
- (b) Extension of the deadline, and the reasons for it, are specifically set out and explained in the river basin management plan required under Article 13.
 - (c) Extensions shall be limited to a maximum of two further updates of the river basin management plan except in cases where the natural conditions are such that the objectives cannot be achieved within this period.
 - (d) A summary of the measures required under Article 11 which are envisaged as necessary to bring the bodies of water progressively to the required status by the extended deadline, the reasons for any significant delay in making these measures operational, and the expected timetable for their implementation are set out in the river basin management plan. A review of the implementation of these measures and a summary of any additional measures shall be included in updates of the river basin management plan.

5. Member States may aim to achieve less stringent environmental objectives than those required under paragraph 1 for specific bodies of water when they are so affected by human activity, as determined in accordance with Article 5(1), or their natural condition is such that the achievement of these objectives would be infeasible or disproportionately expensive, and all the following conditions are met:

- (a) the environmental and socioeconomic needs served by such human activity cannot be achieved by other means, which are a significantly better environmental option not entailing disproportionate costs;
- (b) Member States ensure,
 - for surface water, the highest ecological and chemical status possible is achieved, given impacts that could not reasonably have been avoided due to the nature of the human activity or pollution,

- for groundwater, the least possible changes to good groundwater status, given impacts that could not reasonably have been avoided due to the nature of the human activity or pollution;
- (c) no further deterioration occurs in the status of the affected body of water;
- (d) the establishment of less stringent environmental objectives, and the reasons for it, are specifically mentioned in the river basin management plan required under Article 13 and those objectives are reviewed every six years.

6. Temporary deterioration in the status of bodies of water shall not be in breach of the requirements of this Directive if this is the result of circumstances of natural cause or force majeure which are exceptional or could not reasonably have been foreseen, in particular extreme floods and prolonged droughts, or the result of circumstances due to accidents which could not reasonably have been foreseen, when all of the following conditions have been met:

- (a) all practicable steps are taken to prevent further deterioration in status and in order not to compromise the achievement of the objectives of this Directive in other bodies of water not affected by those circumstances;
- (b) the conditions under which circumstances that are exceptional or that could not reasonably have been foreseen may be declared, including the adoption of the appropriate indicators, are stated in the river basin management plan;
- (c) the measures to be taken under such exceptional circumstances are included in the programme of measures and will not compromise the recovery of the quality of the body of water once the circumstances are over;
- (d) the effects of the circumstances that are exceptional or that could not reasonably have been foreseen are reviewed annually and, subject to the reasons set out in paragraph 4(a), all practicable measures are taken with the aim of restoring the body of water to its status prior to the effects of those circumstances as soon as reasonably practicable, and
- (e) a summary of the effects of the circumstances and of such measures taken or to be taken in accordance with paragraphs

(a) and (d) are included in the next update of the river basin management plan.

7. Member States will not be in breach of this Directive when:

- failure to achieve good groundwater status, good ecological status or, where relevant, good ecological potential or to prevent deterioration in the status of a body of surface water or groundwater is the result of new modifications to the physical characteristics of a surface water body or alterations to the level of bodies of groundwater, or
- failure to prevent deterioration from high status to good status of a body of surface water is the result of new sustainable human development activities

and all the following conditions are met:

- (a) all practicable steps are taken to mitigate the adverse impact on the status of the body of water;
- (b) the reasons for those modifications or alterations are specifically set out and explained in the river basin management plan required under Article 13 and the objectives are reviewed every six years;
- (c) the reasons for those modifications or alterations are of overriding public interest and/or the benefits to the environment and to society of achieving the objectives set out in paragraph 1 are outweighed by the benefits of the new modifications or alterations to human health, to the maintenance of human safety or to sustainable development, and
- (d) the beneficial objectives served by those modifications or alterations of the water body cannot for reasons of technical feasibility or disproportionate cost be achieved by other means, which are a significantly better environmental option.

8. When applying paragraphs 3, 4, 5, 6 and 7, a Member State shall ensure that the application does not permanently exclude or compromise the achievement of the objectives of this Directive in other bodies of water within the same river basin district and is consistent with the implementation of other Community environmental legislation.

9. Steps must be taken to ensure that the application of the new provisions,

PUBLIC HEALTH (WATER FRAMEWORK) RULES 2004

This version is out of date

**Subsidiary
2004/098**

including the application of paragraphs 3, 4, 5, 6 and 7, guarantees at least the same level of protection as the existing Community legislation.

SCHEDULE 8

River basin management plans

PART 1: MATTERS TO BE INCLUDED IN EVERY PLAN

1. A general description of the characteristics of the river basin arising from the work conducted in accordance with rule 5, including:

- (a) for surface waters and groundwater a map of the location and boundaries of each body of water;
- (b) for surface waters—
 - (i) a map of the ecoregions and types of surface water body within the river basin;
 - (ii) identification of reference conditions for the surface water body types.

2. A summary of the significant pressures and impact of human activity on the status of surface water and groundwater, including—

- (a) estimation of—
 - (i) point source pollution;
 - (ii) diffuse source pollution, including a summary of land use;
 - (iii) pressures on the quantitative status of water, including abstractions;
- (b) analysis of other impacts of human activity on the status of water.

3. Information, including a map, sufficient to identify each protected area in the river basin district.

4.. A map of the monitoring network established for the purposes of rule 9 and—

- (a) information in map form of the results of the monitoring carried out for the status of:
 - (i) surface water;
 - (ii) groundwater;
 - (iii) protected areas; and
 - (b) estimates of the levels of confidence and precision of the results provided by that monitoring.
5. A map for each groundwater body or group of groundwater bodies showing the quantitative status and chemical status of that body or group of bodies in accordance with the monitoring programme established under rule 9.
6. A list of the environmental objectives established in accordance with rule 10 for surface water, groundwater and protected areas, including the details required in accordance with that rule in relation to-
- (a) deadlines for the achievement of environmental objectives;
 - (b) any aim of achieving less stringent environmental objectives;
 - (c) temporary deterioration in status; and
 - (d) any failure to achieve objectives, or prevent deterioration in status, as a result of new sustainable human development activities.
7. A summary of the economic analysis of water use carried out under rule 6.
8. A summary of the programme of measures established in accordance with rule 10, in particular:
- (a) a summary of–
 - (i) measures required to implement Community legislation for the protection of water;
 - (ii) controls on abstraction and impoundment of water, including reference to registers and those cases where exemptions have been made;

- (iii) controls adopted for point source discharges and other impacts on the status of water;
 - (iv) any measures taken to establish environmental quality standards or controls of the discharge of pollutants or groups of pollutants presenting a significant risk to or via the aquatic environment;
 - (v) measures taken to prevent or reduce the impact of accidental pollution incidents;
 - (vi) measures taken where monitoring or other data indicates that the environmental objectives for a body of water are unlikely to be met;
- (b) a report on practical steps and measures taken to apply the principle of recovery of the costs of water services;
 - (c) identification of those cases where direct discharges to groundwater have been authorised; and
 - (d) details of–
 - (i) any supplementary measures identified in order to meet the environmental objectives; and
 - (ii) details of steps taken to avoid any increase in pollution of marine waters;

including the ways in which the environmental objectives are to be achieved by the programme.

9. A register of any more detailed programmes and of any supplementary plan prepared under rule 16, together with a summary of their contents.

10. A summary of the public information and consultation measures taken, their results and any changes to the plan made as a consequence.

11. The arrangements made for making available to the public–

- (a) documents and information used for the development of the plan, including the draft plan;

- (b) details of–
 - (i) measures adopted in relation to point source discharges and any other significant adverse impacts on the status of water; and
 - (ii) the monitoring data gathered in accordance with rule 9.

PART 2: ADDITIONAL MATTERS TO BE INCLUDED IN REVISED PLANS

12 . A summary of the changes which have been made as compared with the previous version of the plan.

13. An assessment of the progress made towards achieving the environmental objectives established in accordance with rule 10, including the results of monitoring under rule 9 and the reason for any failure to achieve any such objective.

14.. A summary of any measures foreseen in an earlier version of the plan which have not been undertaken, and the reasons for not having done so.

15. Any details required in accordance with rule 10 in relation to–

- (a) deadlines for the achievement of environmental objectives;
- (b) any aim of achieving less stringent environmental objectives;
- (c) temporary deterioration in status; and
- (d) any failure to achieve objectives, or prevent deterioration in status, as a result of new sustainable human development activities.

16. A summary of any additional interim measures since the publication of the previous version of the plan.

SCHEDULE 8A

Rule 10

PART I

This Part reproduces Article 11(3) of the Directive:

3. 'Basic measures' are the minimum requirements to be complied with and shall consist of:

(a) those measures required to implement Community legislation for the protection of water, including measures required under the legislation specified in Article 10 and in part A of Annex VI;

(b) measures deemed appropriate for the purposes of Article 9;

(c) measures to promote an efficient and sustainable water use in order to avoid compromising the achievement of the objectives specified in Article 4;

(d) measures to meet the requirements of Article 7, including measures to safeguard water quality in order to reduce the level of purification treatment required for the production of drinking water;

(e) controls over the abstraction of fresh surface water and groundwater, and impoundment of fresh surface water, including a register or registers of water abstractions and a requirement of prior authorisation for abstraction and impoundment. These controls shall be periodically reviewed and, where necessary, updated. Member States can exempt from these controls, abstractions or impoundments which have no significant impact on water status;

(f) controls, including a requirement for prior authorisation of artificial recharge or augmentation of groundwater bodies. The water used may be derived from any surface water or groundwater, provided that the use of the source does not compromise the achievement of the environmental objectives established for the source or the recharged or augmented body of groundwater. These controls shall be periodically reviewed and, where necessary, updated;

(g) for point source discharges liable to cause pollution, a requirement for prior regulation, such as a prohibition on the entry of pollutants into water, or for prior authorisation, or registration based on general binding rules, laying down emission controls for the pollutants concerned, including

controls in accordance with Articles 10 and 16. These controls shall be periodically reviewed and, where necessary, updated;

(h) for diffuse sources liable to cause pollution, measures to prevent or control the input of pollutants. Controls may take the form of a requirement for prior regulation, such as a prohibition on the entry of pollutants into water, prior authorisation or registration based on general binding rules where such a requirement is not otherwise provided for under Community legislation. These controls shall be periodically reviewed and, where necessary, updated;

(i) for any other significant adverse impacts on the status of water identified under Article 5 and Annex II, in particular measures to ensure that the hydromorphological conditions of the bodies of water are consistent with the achievement of the required ecological status or good ecological potential for bodies of water designated as artificial or heavily modified. Controls for this purpose may take the form of a requirement for prior authorisation or registration based on general binding rules where such a requirement is not otherwise provided for under Community legislation. Such controls shall be periodically reviewed and, where necessary, updated;

(j) a prohibition of direct discharges of pollutants into groundwater subject to the following provisions:

Member States may authorise reinjection into the same aquifer of water used for geothermal purposes.

They may also authorise, specifying the conditions for:

- injection of water containing substances resulting from the operations for exploration and extraction of hydrocarbons or mining activities, and injection of water for technical reasons, into geological formations from which hydrocarbons or other substances have been extracted or into geological formations which for natural reasons are permanently unsuitable for other purposes. Such injections shall not contain substances other than those resulting from the above operations,
- reinjection of pumped groundwater from mines and quarries or associated with the construction or maintenance of civil engineering works,
- injection of natural gas or liquefied petroleum gas (LPG) for storage purposes into geological formations which for natural reasons are permanently unsuitable for other purposes,

- injection of carbon dioxide streams for storage purposes into geological formations which for natural reasons are permanently unsuitable for other purposes, provided that such injection is made in accordance with Directive 2009/31/EC of the European Parliament and of the Council of 23 April 2009 on the geological storage of carbon dioxide (1) or excluded from the scope of that Directive pursuant to its Article 2(2),
- injection of natural gas or liquefied petroleum gas (LPG) for storage purposes into other geological formations where there is an overriding need for security of gas supply, and where the injection is such as to prevent any present or future danger of deterioration in the quality of any receiving groundwater,
- construction, civil engineering and building works and similar activities on, or in the ground which come into contact with groundwater. For these purposes, Member States may determine that such activities are to be treated as having been authorised provided that they are conducted in accordance with general binding rules developed by the Member State in respect of such activities,
- discharges of small quantities of substances for scientific purposes for characterisation, protection or remediation of water bodies limited to the amount strictly necessary for the purposes concerned provided such discharges do not compromise the achievement of the environmental objectives established for that body of groundwater;

(k) in accordance with action taken pursuant to Article 16, measures to eliminate pollution of surface waters by those substances specified in the list of priority substances agreed pursuant to Article 16(2) and to progressively reduce pollution by other substances which would otherwise prevent Member States from achieving the objectives for the bodies of surface waters as set out in Article 4;

(l) any measures required to prevent significant losses of pollutants from technical installations, and to prevent and/or to reduce the impact of accidental pollution incidents for example as a result of floods, including through systems to detect or give warning of such events including, in the case of accidents which could not reasonably have been foreseen, all appropriate measures to reduce the risk to aquatic ecosystems.

PART II

This Part reproduces Annex VI of the Directive:

**LISTS OF MEASURES TO BE INCLUDED WITHIN THE
PROGRAMMES OF MEASURES**

PART A

Measures required under the following Directives:

- (i) The Bathing Water Directive (76/160/EEC);
- (ii) The Birds Directive (79/409/EEC);
- (iii) The Drinking Water Directive (80/778/EEC) as amended by Directive (98/83/EC);
- (iv) The Major Accidents (Seveso) Directive (96/82/EC);
- (v) The Environmental Impact Assessment Directive (85/337/EEC);
- (vi) The Sewage Sludge Directive (86/278/EEC);
- (vii) The Urban Waste-water Treatment Directive (91/271/EEC);
- (viii) The Plant Protection Products Directive (91/414/EEC);
- (ix) The Nitrates Directive (91/676/EEC);
- (x) The Habitats Directive (92/43/EEC);
- (xi) The Integrated Pollution Prevention Control Directive (96/61/EC).

PART B

The following is a non-exclusive list of supplementary measures which Member States within each river basin district may choose to adopt as part of the programme of measures required under Article 11(4):

- (i) legislative instruments;
- (ii) administrative instruments;

- (iii) economic or fiscal instruments;
- (iv) negotiated environmental agreements;
- (v) emission controls;
- (vi) codes of good practice;
- (vii) recreation and restoration of wetlands areas;
- (viii) abstraction controls;
- (ix) demand management measures, inter alia, promotion of adapted agricultural production such as low water requiring crops in areas affected by drought;
- (x) efficiency and reuse measures, inter alia, promotion of water-efficient technologies in industry and water-saving irrigation techniques;
- (xi) construction projects;
- (xii) desalination plants;
- (xiii) rehabilitation projects;
- (xiv) artificial recharge of aquifers;
- (xv) educational projects;
- (xvi) research, development and demonstration projects;
- (xvii) other relevant measures.

SCHEDULE 8B

Rule 2

**THIS SCHEDULE REPRODUCES ANNEX VIII OF THE
DIRECTIVE**

INDICATIVE LIST OF THE MAIN POLLUTANTS

1. Organohalogen compounds and substances which may form such compounds in the aquatic environment.
2. Organophosphorous compounds.
3. Organotin compounds.
4. Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment.
5. Persistent hydrocarbons and persistent and bioaccumulable organic toxic substances.
6. Cyanides.
7. Metals and their compounds.
8. Arsenic and its compounds.
9. Biocides and plant protection products.
10. Materials in suspension.
11. Substances which contribute to eutrophication (in particular, nitrates and phosphates).
12. Substances which have an unfavourable influence on the oxygen balance (and can be measured using parameters such as BOD, COD, etc.).

SCHEDULE 9

Rules 10A and 11A

ENVIRONMENTAL QUALITY STANDARDS FOR PRIORITY
SUBSTANCES AND CERTAIN OTHER POLLUTANTS

PART A: ENVIRONMENTAL QUALITY STANDARDS (EQS)

AA: annual average;

MAC: maximum allowable concentration.

Unit: [$\mu\text{g}/\text{l}$]

(1)	(2)	(3)	(4)	(5)	(6)	(7)
No	Name of substance	CAS number (1)	AA-EQS (2) Inland surface waters (3)	AA-EQS (2) Other surface waters	MAC-EQS (4) Inland surface waters (3)	MAC-EQS (4) Other surface waters
(1)	Alachlor	15972-60-8	0,3	0,3	0,7	0,7
(2)	Anthracene	120-12-7	0,1	0,1	0,4	0,4
(3)	Atrazine	1912-24-9	0,6	0,6	2,0	2,0
(4)	Benzene	71-43-2	10	8	50	50
(5)	Brominated diphenylether (5)	32534-81-9	0,0005	0,0002	not applicable	not applicable
(6)	Cadmium and its compounds (depending on water hardness classes) (6)	7440-43-9	$\leq 0,08$ (Class 1) 0,08 (Class 2) 0,09 (Class 3) 0,15 (Class 4) 0,25 (Class 5)	0,2	$\leq 0,45$ (Class 1) 0,45 (Class 2) 0,6 (Class 3) 0,9 (Class 4) 1,5 (Class 5)	$\leq 0,45$ (Class 1) 0,45 (Class 2) 0,6 (Class 3) 0,9 (Class 4) 1,5 (Class 5)
(6a)	Carbon-tetrachloride (7)	56-23-5	12	12	not applicable	not applicable
(7)	C10-13 Chloroalkanes	85535-84-8	0,4	0,4	1,4	1,4
(8)	Chlorfenvinphos	470-90-6	0,1	0,1	0,3	0,3
(9)	Chlorpyrifos (Chlorpyrifos-ethyl)	2921-88-2	0,03	0,03	0,1	0,1
(9a)	Cyclodiene pesticides: Aldrin (7)	309-00-2 60-57-1 72-20-8	$\Sigma = 0,01$	$\Sigma = 0,005$	not applicable	not applicable

PUBLIC HEALTH (WATER FRAMEWORK) RULES 2004

This version is out of date

Subsidiary
2004/098

	Dieldrin (7) Endrin (7) Isodrin (7)	72-20-8 465-73-6				
(9b)	DDT total (7) (8)	Not applicable	0,025	0,025	not applicable	not applicable
	para-para- DDT (7)	50-29-3	0,01	0,01	not applicable	not applicable
(10)	1,2- Dichloroethane	107-06-2	10	10	not applicable	not applicable
(11)	Dichloromethane	75-09-2	20	20	not applicable	not applicable
(12)	Di(2-ethylhexyl)- phthalate (DEHP)	117-81-7	1,3	1,3	not applicable	not applicable
(13)	Diuron	330-54-1	0,2	0,2	1,8	1,8
(14)	Endosulfan	115-29-7	0,005	0,005	1,01	1,004
(15)	Fluoranthene	206-44-0	0,1	0,1	1	1
(16)	Hexachlorobenzene	118-74-1	0,01 (9)	0,01 (9)	0,05	0,05
(17)	Hexachlorobutadiene	87-68-3	0,1 (9)	0,1 (9)	0,6	0,6
(18)	Hexachlorocyclohexane	608-73-1	0,02	0,02	0,04	0,02
(19)	Isoproturon	34123-59-6	0,3	0,3	1,0	1,0
(20)	Lead and its compounds	7439-92-1	7,2	7,2	not applicable	not applicable
(21)	Mercury and its compounds	7439-97-6	0,05 (9)	0,05 (9)	0,07	0,07
(22)	Naphthalene	91-20-3	2,4	1,2	not applicable	not applicable
(23)	Nickel and its compounds	7440-02-0	20	20	not applicable	not applicable
(24)	Nonylphenol (4-Nonylphenol)	104-40-5	0,3	0,3	2,0	2,0
(25)	Octylphenol ((4-(1,1',3,3'-tetramethylbutyl)-phenol))	140-66-9	0,1	0,01	not applicable	not applicable
(26)	Pentachlorobenzene	608-93-5	0,007	0,0007	not applicable	not applicable
(27)	Pentachlorophenol	87-86-5	0,4	0,4	1	1
(28)	Polyaromatic hydrocarbons (PAH) (10)	not applicable	not applicable	not applicable	not applicable	not applicable
	Benzo(a)pyrene	50-32-8	0,05	0,05	0,1	0,1
	Benzo(b)fluoranthene	205-99-2	$\Sigma = 0,03$	$\Sigma = 0,03$	not applicable	not applicable
	Benzo(k)fluoranthene	207-08-9				
	Benzo(g,h,i)perylene	191-24-2	$\Sigma = 0,002$	$\Sigma = 0,002$	not applicable	not applicable

PUBLIC HEALTH (WATER FRAMEWORK) RULES 2004

This version is out of date

Subsidiary
2004/098

	Indeno(1,2,3-cd)-pyrene	193-39-5				
(29)	Simazine	122-34-9	1	1	4	4
(29a)	Tetrachloroethylene (7)	127-18-4	10	10	not applicable	not applicable
(29b)	Trichloroethylene (7)	79-01-6	10	10	79	01
(30)	Tributyltin compounds (Tributhyltin-cation)	36643-28-4	0,0002	0,0002	0,0015	0,0015
(31)	Trichlorobenzenes	12002-48-1	0,4	0,4	12002	48
(32)	Trichloromethane	67-66-3	2,5	2,5	not applicable	not applicable
(33)	Trifluralin	1582-09-8	0,03	0,03	not applicable	not applicable

(1) CAS: Chemical Abstracts Service.

(2) This parameter is the EQS expressed as an annual average value (AA-EQS). Unless otherwise specified, it applies to the total concentration of all isomers.

(3) Inland surface waters encompass rivers and lakes and related artificial or heavily modified water bodies.

(4) This parameter is the EQS expressed as a maximum allowable concentration (MAC- QS). Where the MAC-EQS are marked as 'not applicable', the AA-EQS values are considered protective against short-term pollution peaks in continuous discharges since they are significantly lower than the values derived on the basis of acute toxicity.

(5) For the group of priority substances covered by brominated diphenylethers (No 5) listed in Decision No 2455/2001/EC, an EQS is established only for congener numbers 28, 47, 99, 100, 153 and 154.

(6) For cadmium and its compounds (No 6) the EQS values vary depending on the hardness of the water as specified in five class categories (Class 1: < 40 mg CaCO₃/l, Class 2: 40 to < 50 mg CaCO₃/l, Class 3: 50 to < 100 mg CaCO₃/l, Class 4: 100 to < 200 mg CaCO₃/l and Class 5: ≥ 200 mg CaCO₃/l).

(7) This substance is not a priority substance but one of the other pollutants for which the EQS are identical to those laid down in the legislation that applied prior to 13 January 2009.

(8) DDT total comprises the sum of the isomers 1,1,1-trichloro-2,2 bis (p-chlorophenyl) ethane (CAS number 50-29-3; EU number 200-024-3); 1,1,1-trichloro-2 (o-chlorophenyl)-2-(p-chlorophenyl) ethane (CAS number 789-

02-6; EU number 212-332-5); 1,1-dichloro-2,2 bis (p-chlorophenyl) ethylene (CAS number 72-55-9;

EU number 200-784-6); and 1,1-dichloro-2,2 bis (p-chlorophenyl) ethane (CAS number 72-54-8; EU number 200-783-0).

(9) If the Competent Authority does not apply EQS for biota it must introduce stricter EQS for water in order to achieve the same level of protection as the EQS for biota set out in rule 10A(3). The Competent Authority must notify the Commission and other Member States, through the Committee referred to in Article 21 of the Directive, of the reasons and basis for using this approach, the alternative EQS for water established, including the data and the methodology by which the alternative EQS were derived, and the categories of surface water to which they would apply.

(10) For the group of priority substances of polyaromatic hydrocarbons (PAH) (No 28), each individual EQS is applicable, i.e. the EQS for Benzo(a)pyrene, the EQS for the sum of Benzo(b)fluoranthene and Benzo(k)fluoranthene and the EQS for the sum of Benzo(g,h,i)perylene and Indeno(1,2,3-cd)pyrene must be met.

PART B: APPLICATION OF THE EQS SET OUT IN PART A

1. Columns 4 and 5 of the table: For any given surface water body, applying the AA-EQS means that, for each representative monitoring point within the water body, the arithmetic mean of the concentrations measured at different times during the year does not exceed the standard.

The calculation of the arithmetic mean, the analytical method used and, where there is no appropriate analytical method meeting the minimum performance criteria, the method of applying an EQS must be in accordance with implementing acts adopting technical specifications for chemical monitoring and quality of analytical results, in accordance with the Directive.

2. Columns 6 and 7 of the table: For any given surface water body, applying the MAC-EQS means that the measured concentration at any representative monitoring point within the water body does not exceed the standard.

However, in accordance with section 1.3.4 of Annex V to the Directive, the Competent Authority may introduce statistical methods, such as a percentile calculation, to ensure an acceptable level of confidence and precision for determining compliance with the MAC-EQS. If it does so, such statistical methods shall comply with detailed rules laid down in accordance with the regulatory procedure referred to in Article 9(2) of Directive 2008/105/EC.

3. With the exception of cadmium, lead, mercury and nickel (hereinafter 'metals') the EQS set up in this Schedule are expressed as total concentrations in the whole water sample. In the case of metals the EQS refers to the dissolved concentration, i.e. the dissolved phase of a water sample obtained by filtration through a 0,45 µm filter or any equivalent pre-treatment.

The Competent Authority may, when assessing the monitoring results against the EQS, take into account:

- (a) natural background concentrations for metals and their compounds, if they prevent compliance with the EQS value; and
- (b) hardness, pH or other water quality parameters that affect the bioavailability of metals.

SCHEDULE 10

Rule 2(1)

LIST OF PRIORITY SUBSTANCES IN THE FIELD OF WATER
POLICY

Number	CAS number (1)	EU number (2)	Name of priority substance (3)	Identified as priority hazardous substance
(1)	15972-60-8	240-110-8	Alachlor	
(2)	120-12-7	204-371-1	Anthracene	X
(3)	1912-24-9	217-617-8	Atrazine	
(4)	71-43-2	200-753-7	Benzene	
(5)	not applicable	not applicable	Brominated diphenylether (4)	X(5)
	32534-81-9	not applicable	Pentabromodiphenylether (congener numbers 28, 47, 99, 100, 153 and 154)	
(6)	7440-43-9	231-152-8	Cadmium and its compounds	X
(7)	85535-84-8	287-476-5	Chloroalkanes,	X
(8)	470-90-6	207-432-0	Chlorfenvinphos	
(9)	2921-88-2	220-864-4	Chlorpyrifos (Chlorpyrifos-ethyl)	
(10)	107-06-2	203-458-1	1,2-dichloroethane	
(11)	75-09-2	200-838-9	Dichloromethane	
(12)	117-81-7	204-211-0	Di(2-ethylhexyl)phthalate (DEHP)	

(13)	330-54-1	206-354-4	Diuron	
(14)	115-29-7	204-079-4	Endosulfan	X
(15)	206-44-0	205-912-4	Fluoranthene (6)	
(16)	118-74-1	204-273-9	Hexachlorobenzene	X
(17)	87-68-3	201-765-5	Hexachlorobutadiene	X
(18)	608-73-1	210-158-9	Hexachlorocyclohexane	X
(19)	34123-59-6	251-835-4	Isoproturon	
(20)	7439-92-1	231-100-4	Lead and its compounds	
(21)	7439-97-6	231-106-7	Mercury and its compounds	X
(22)	91-20-3	202-049-5	Naphthalene	
(23)	7440-02-0	231-111-14	Nickel and its compounds	
(24)	25154-52-3	246-672-0	nonylphenol	X
	104-40-5	203-199-4	(4-nonylphenol)	X
(25)	1806-26-4	217-302-5	Octylphenol	
	140-66-9	not applicable	(4-(1,1',3,3' - tetramethylbutyl)-phenol)	
(26)	608-93-5	210-172-5	Pentachlorobenzene	X
(27)	87-86-5	231-152-8	Pentachlorophenol	
(28)	not applicable	not applicable	Polyaromatic hydrocarbons	X
	50-32-8	200-028-5	(Benzo(a)pyrene) X	X
	205-99-2	205-911-9	(Benzo(b)fluoranthene)	X
	191-24-2	205-883-	(Benzo(g,h,i)perylene)	X

		8		
	207-08-9	205-916-6	(Benzo(k)fluoranthene)	X
	193-39-5	205-893-2	(Indeno(1,2,3-cd)pyrene)	X
(29)	122-34-9	204-535-2	Simazine	
(30)	not applicable	not applicable	Tributyltin compounds	X
	36643-28-4	not applicable	(Tributyltin-cation)	X
(31)	12002-48-1	234-413-4	Trichlorobenzenes	
(32)	67-66-3	200-663-8	Trichloromethane (chloroform)	
(33)	1582-09-8	216-428-8	Trifluralin	

(1) CAS: Chemical Abstracts Service.

(2) EU number: European Inventory of Existing Commercial Substances (Einecs) or European List of Notified Chemical Substances (Elincs).

(3) Where groups of substances have been selected, typical individual representatives are listed as indicative parameters (in brackets and without number). For these groups of substances, the indicative parameter must be defined through the analytical method.

(4) These groups of substances normally include a considerable number of individual compounds. At present, appropriate indicative parameters cannot be given.

(5) Only Pentabromobiphenylether (CAS-number 32534-81-9).

(6) Fluoranthene is on the list as an indicator of other, more dangerous polyaromatic hydrocarbons.

SCHEDULE 11

**Minimum performance criteria for methods of analysis and
rules for demonstrating the quality of analytical results****Interpretation of Schedule.**

1. In this Schedule—

“limit of detection” means the output signal or concentration value above which it can be affirmed, with a stated level of confidence, that a sample is different from a blank sample containing no determinand of interest;

“limit of quantification” means a stated multiple of the limit of detection at a concentration of the determinand that can reasonably be determined with an acceptable level of accuracy and precision. The limit of quantification can be calculated using an appropriate standard or sample, and may be obtained from the lowest calibration point on the calibration curve, excluding the blank;

“uncertainty of measurement” means a non-negative parameter characterizing the dispersion of the quantity values being attributed to a measurand, based on the information used.

Methods of analysis.

2. All methods of analysis, including laboratory, field and on-line methods, used for the purposes of chemical monitoring programmes carried out under these Rules must be validated and documented in accordance with EN ISO/IEC-17025 standard or other equivalent standards accepted at international level.

Minimum performance criteria for methods of analysis.

3.(1) The minimum performance criteria for all methods of analysis applied shall be based on an uncertainty of measurement of 50% or below ($k = 2$) estimated at the level of relevant environmental quality standards and a limit of quantification equal or below a value of 30% of the relevant environmental quality standards.

(2) In the absence of relevant environmental quality standard for a given parameter, or in the absence of method of analysis meeting the minimum performance criteria set out in subparagraph (1), monitoring shall be carried out using best available techniques not entailing excessive costs.

Calculations of mean values.

4.(1) Where the amounts of physico-chemical or chemical measurands in a given sample are below the limit of quantification, the measurement results shall be set to half of the value of the limit of quantification concerned for the calculation of mean values.

(2) Where a calculated mean value of the measurement results referred to in subparagraph (1) is below the limits of quantification, the value shall be referred to as 'less than limit of quantification'.

(3) Subparagraph (1) shall not apply to measurands that are total sums of a given group of physico-chemical parameters or chemical measurands, including their relevant metabolites, degradation and reaction products. In those cases, results below the limit of quantification of the individual substances shall be set to zero.

Quality assurance and control.

5.(1) The Competent Authority shall ensure that laboratories contracted by it or parties contracted by such laboratories apply quality management system practices in accordance with EN ISO/IEC-17025 or other equivalent standards accepted at international level.

(2) The Competent Authority shall ensure that laboratories contracted by it or parties contracted by such laboratories demonstrate their competences in analysing relevant physico-chemical or chemical measurands by-

- (a) participation in proficiency testing programmes covering the methods of analysis referred to in paragraph 2 of measurands at levels of concentrations that are representative of chemical monitoring programmes carried out under these Rules, and
- (b) analysis of available reference materials that are representative of collected samples which contain appropriate levels of concentrations in relation to relevant environmental quality standards referred to in paragraph 3(1).

(3) The proficiency testing programmes referred to in subparagraph (2)(a) shall be organised by accredited organisations or internationally or nationally recognised organisations which meet the requirements of ISO/IEC guide 43-1 or of other equivalent standards accepted at international level.

1950-07

Public Health

PUBLIC HEALTH (WATER FRAMEWORK) RULES 2004

This version is out of date

**Subsidiary
2004/098**

The results of participation in those programmes shall be evaluated on the basis of the scoring systems set out in ISO/IEC guide 43-1 or in the ISO-13528 standard or in other equivalent standards accepted at international level.